



बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

Tender documents
for
New Glow Sign Board/Fascia Change/New
Retro Reflective Sign Board/New Retro
Reflective Indicator Board/Repairing of
Indicator Board with Retro or Vinyl/other
Repairing Work of Glow Sign Board in
Kanpur Region

Baroda U.P. Bank,
Regional Office, (Kanpur Region),
117/N/26, Kakadeo Kanpur, Pin-208025
E-mail ID- pe.knpro@barodauprrb.co.in
Mobile: 7310108600/7310108509

BARODA U. P. BANK
Regional Office-117/N/26, Kakadeo
Kanpur


(S.D. Saxena)
Regional Manager




भत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokann@barodauprrb.co.in

- TENDER FOR NEW SUPPLY & REPAIRING WORK OF NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE), NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING.
- BARODA U. P. BANK, REGIONAL OFFICE, KANPUR INVITES SEALED TENDER FOR NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE), NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING AT OUR BRANCHES **(NO. OF BRANCHES 65, LIST ENCLOSED WITH ADDRESS AND MOBILE NO.)** SITUATED AT KANPUR NAGAR DISTRICT.
- ❖ SPECIFICATIONS FOR NEW SUPPLY & REPAIRING WORK OF SIGNAGE WORK : AS ENCLOSED
- ❖ ACCEPTABLE BRAND FOR NEW SUPPLY & REPAIRING WORK : ANNEXURE ENCLOSED
- ❖ ARTICLES SHOULD BE OF STANDARD QUALITY, AS SPECIFIED IN ANNEXURE.

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokann@barodaunrrb.co.in



ELIGIBILITY:

- Only those vendors who have minimum three years experience of sale, service & repairing of NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE), NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING, and show minimum turnover of Rs. 40 lac. Per annum as per past balance sheet.
- The Bidder should have local service support office at Kanpur or area of Bank's operation.
- Experience with any PSU/Govt. for such type of work with satisfactory work done certificate.

WARRANTY:

- 5/10 years (as per specification enclosed) from the date of installation
- In the event of becoming defective with in warranty period, vendor would be required to provide a new replacement at no cost to the bank.
- Vendor will be responsible for service/replacement during warranty period.

VALIDITY OF RATES:

- The Rate Contract with the selected vendor will be valid up to a period of Two Year i.e.31-03-2023 from the date of acceptance of the rates.
- The bank (Regional office) will place the orders and delivery with installation will be at our branches/office in the Kanpur region (city & villages) . Bidder shall make necessary arrangements for processing the orders.

OTHER CONDITIONS:

- The registration number of the firm along with the GSTIN no. allotted by the authorities must be submitted.
- PAN number of the firm allotted by the income tax authorities should be submitted (without which the vendor's bid would become invalid and same shall be rejected).
- The bid must accompany the income tax returns and balance sheets for the last three years.

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokann@barodaunrrb.co.in



- Conditional tenders shall not be accepted on any ground and shall be rejected straight away.
- Any deviation of the conditions given by the purchaser will not be accepted and the bid will be rejected without assigning any reasons.
- If any clarification is required the same should be obtained before submitting the bid.
- The entire tender document must be signed with the seal and attached as mark of acceptance of terms and conditions.

BID SUBMISSION:

- The sealed tenders must reach the REGIONAL MANAGER, BARODA U. P. BANK, REGIONAL OFFICE - KANPUR 117/N/26 KAKADEO KANPUR-208025 COMPLETE IN ALL RESPECT LATEST BY 5:00 PM ON 01-02-2021. Bids received after that shall not be entertained.
- Bids must be submitted through hand to hand or through registered Post/Courier.
- Bid must be delivered at the given address within given time frame
- The bid must contain two Envelopes as per procedure given below.

FIRST ENVELOPE MUST CONTAIN ALL THE DOCUMENTS GIVEN BELOW:

1. Details of infrastructure for providing proper services and supply.
 2. Attested photocopy of document of registration of firm along with GSTIN No.
 3. Photo copy of PAN Number duly attested.
 4. Photo copy of GSTIN number duly attested.
 5. Photo copy of income tax Return for the last three years.
 6. Certificate that the vendor is authorized dealer to sell said brand.
 7. The entire tender document duly signed by the vender as a mark of acceptance of term and conditions of the tender document.
 8. All the documents should be self attested along with stamp of the Firm.
- IF ANY OF THE ABOVE DOCUMENTS IS/ARE NOT SUBMITTED OR IF SUBMITTED BUT IS NOT DULY ATTESTED, THE BID WILL BE REJECTED & PRICE BID WILL NOT BE OPENED.
 - IT MUST BE MENTIONED ON ENVELOPE "DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SIGNAGE (GLOW SIGN BOARD)"

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rkanpur@barodaupb.co.in



SECOND ENVELOPE MUST CONTAIN ALL THE DOCUMENTS GIVEN BELOW:

SECOND ENVELOPE MUST CONTAIN only bid and nothing else.

- The price must be submitted on the prescribed format of annexure – I (Section A,B,C,D,E,F,G) along with document.
- Price bid will not be accepted on any other format or document.
- It must be clearly mentioned “PRICE BID OF “DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SIGNAGE (GLOW SIGN BOARD)””
- BOTH TWO ENVELOPES MUST BE KEPT IN THIRD SEALED ENVELOPE AND SUPERSCRIBED “BID FOR “DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SIGNAGE (GLOW SIGN BOARD)””

PROCESS & TIME FRAME:

Bids will be opened on **02-02-2021** at 11:00 AM at Regional office, Kanpur. Bidders can depute their representative (only one) to present at the time of opening of bid & process. No separate intimation will be given in this regard to the bidders.

EVALUATION OF BIDS:

- Quoting incredibly low value of items with a view of subverting the tender process shall be rejected straight away.

DELIVERY:

1. Delivery at site should be made within 1 month of date of placement of order which should be extended for next 07 days in special case like Natural calamities (heavy rain earthquake flood etc). In case of some urgent requirement of the bank, the same may be delivered urgently.
2. No extra freight or any other charges will be paid.
3. Each Glow Sign Board/Fascia Change/New Retro Reflective Sign Board/ New Retro Reflective Indicator Board/ Repairing of indicator with new Retro Reflective Sheet/other Repairing work should be clearly marked with manufacturing date, installation date, warranty date, vendors name and Telephone Number.

LIQUIDATED DAMAGES:

In case of delay in supply/attending complaint, liquidated damages@1.50% of the order value per week would be imposed after 7 days of Supply/complaint period.

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokann@barodaupbank.co.in



(Example:Rs.750/- will be deducted for delay to attend complaint within one week for an order value of Rs.50,000/- and like).

If delivery of order is not supplied within stipulated time from the date of order i.e.1 Month, order will be automatically cancelled.

SINGLE POINT OF CONTACT FOR SUPPORT:

Bidder has to provide details of single point of contact viz. designation, address, email address, telephone/mobile No. for communicating and service support as per Annexure-II

PAYMENT TERMS:

- Payment will be made after successful installation of Sign Board/Indicator.
- The selected bidder will have to deposit 5% of total bill amount before payment in form of FDR with our bank as security money. The selected Bidder will have to sign an agreement with the bank.
- The Bank will pay invoices within a period of 10 days from the date of receipt of undisputed invoices.
- TDS deduction as per Income tax department.

RIGHT TO REJECT BIDS:

I-Bank reserves the right to accept or reject any quotation or cancel the entire process at any stage without assigning any reason whatsoever. The bank does not bind itself to accept the lowest of any quotation and reserves to itself the right to accept or reject any or all quotations, either in whole or part, without assigning any reason for doing so.

II-The selected bidder is found to be unsatisfactory response/performance.

III. If the supply delayed by more than one weeks from the due date of delivery or if deductions on account of liquidated damages exceeds more than 5% of the contract value.

REQUEST FOR INFORMATION

All queries relating to the RFP, technical or otherwise, must be either in writing or by email only - pe.knpro@barodauprrb.co.in FOR ANY CLARIFICATION CONTACT-Regional office: 117/N/26, Kakadeo- Kanpur (PIN-208025) – P&E - Deptt-7310108509.

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokano@barodauprrb.co.in



PRICE QUOTATION

Annexure-I

NAME OF THE BIDDER:

ADDRESS FOR CORESSPONDENCE:

PERMANENT

ADDRESS: _____

LOCAL KANPUR BASED ADDRESS:

TELEPHONE NO. /MOB:

TAN/PIN/PAN NO:

FAX NO:

E MAIL:

Experience : _____

ITR for 3 years attached : _____

Balance Sheet for 3 Years Attached : _____

Experience with PSU/Govt. : _____ Since _____

(Copy Enclosed): _____

Satisfactory Work Done letter attached : _____



BILL OF QUANTITIES - SECTION- A (FOR NEW SIGNAGE WORK)

SI No	Description	QTY	Unit	Rate	Amount
A	GLOW SIGN BOARD				
1.1	Providing and Fixing of Flexible Substrate of make, respective codes and specifications given in tender for use in Back lit signages. Cost of fascia (Backlit flex) including labour charges for plotting & pasting, tensioning ("L" angle system) with signages cabinet, electrical items, Digital Timer and fixing complete as per specification. Replacement Warranty for the Fascia materials for a period of 5 years. The Parent Manufacturer/their representative has to inspect the site and certify for quality, workmanship and materials in the Warranty card.	1	S.Ft		
a	SCAFFOLDING WORKS (No Extra charges for height below 25 ft)				
	Cost of Scaffolding for Hoisting Signages, for height above 25 fts. (1) No payments will be made for scaffolding for Signage installations / fascia change up to a height of 25 feet from the floor level to bottom of Signage. 2) If the signage is to be installed on roof top of a building, where space for working is available, no extra payments will be paid for the sake of lift / scaffolding charges. The area of Scaffolding will be measured from the bottom of signage to Ground level x Length of signage	1	S.Ft.		

BILL OF QUANTITIES FOR FASCIA CHANGE - SECTION-B

Sr.	Description	QTY	Unit	Rate	Amount(Rs.)
B	REPLACING OF OLD FLEX & VINYL OF EXISTING SIGNAGES (Backlit signage) (L1 WILL BE DECIDED FOR FLEX CHANGE RATE ONLY)				
1.1	Removal of Old Flex and Vinyl and providing new flex and vinyl is using the present art work approved and retaining the existing Boxing / MS Framing. Replacement Warranty for the Fascia materials for a period of 5 years. The Parent Manufacturer / their representative has to inspect the site and certify for quality, workmanship and materials in the Warranty card.	1	S.Ft		

Date :

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष 0512-2501953
 Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
 e-mail: rokann@barodaupb.co.in





बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE SIGN BOARDS -
SECTION-C

Sr.	Description	QTY	Unit	Rate	Amount(Rs.)
C	RETRO REFLECTIVE SIGN BOARDS				
1.1	Manufacturing, supplying & installation of retro reflective sign boards made up of 2 mm thick aluminum sheet, face to be fully covered with high intensity encapsulated type heat activated retro reflective sheeting conforming to type-IV of ASTM-D 4956-01 in approved colour combination including subject matter, (bi-lingual), symbols and borders etc. as per IRC:67:2001, pasted on substrate by an adhesive backing which shall be activated by applying heat and pressure conforming to class -2 of ASTM-D- 4956-01 and fixing the same with suitable sized aluminium alloy rivets @ 20 cm c/c to back support frame of M.S. angle iron of size 25x25x3 mm along with theft resistant measures, mounted and fixed with 2 Nos. M.S. angles of size 35x35x5. Backside of aluminium sheet to be painted with two or more coats of epoxy paint over and including appropriate priming coat including all leads and lifts etc. Warranty for the Retro Reflective Signboard for a period of 10 years.	1	S.Ft.		

BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR
BOARDS - SECTION-D

Sr.	Description	QTY	Unit	Rate	Amount(Rs.)
D	RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS-DOUBLE SIDE				
1.1	Manufacturing, supplying & installation of retro reflective Lollipop/Indicator boards(double side) made up of 2 mm thick aluminium sheet(3X2 feet, Rectangular shape), Brand 3M, Avery Dennison, Conforming to ASTMD4956. with double M.S Tee section ISMT 50x50x6 mm of support length of 2500 mm. Warranty for boards for a period of 10 years.	1	S.Ft.		

Date :

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokann@barodaunrrh.co.in



**BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR
BOARDS - SECTION-E**

Sr.	Description	QTY	Unit	Rate	Amount(Rs.)
E	VINYL LOLLIPOP/INDICATOR BOARDS-DOUBLE SIDE				
1.1	Manufacturing, supplying & installation of Vinyl Lollipop / Indicator boards(double side) made up of 2mm ACP Sheet (3X2 feet, Rectangular shape), Vinyl 3M (Scotchall 3630 series, 3650 series,7725 series) with double M.S Tee section ISMT 50x50x6 mm of support length of 2500 mm. Warranty for boards for a period of 5 years.	1	S.Ft.		

**BILL OF QUANTITIES FOR FASCIA CHANGE OF INDICATOR BOARD -
SECTION-F**

Sr.	Description	QTY	Unit	Rate	Amount(Rs.)
B	REPLACING OF OLD VINYL OF EXISTING SIDE INDICATOR				
1.1	Removal of Old Flex and Vinyl and providing new sheet of retro reflective Lollipop/Indicator boards(double side) made up of 2 mm thick aluminium sheet, Brand 3M, Avery Dennision, Conforming to ASTM D4956. Replacement Warranty for the Fascia materials for a period of 10 years. The Parent Manufacturer / their representative has to inspect the site and certify for quality, workmanship and materials in the Warranty card. flex and vinyl is using the present art work approved and retaining the existing Boxing / MS Framing. All the metal portions of the existing MS Fram to be painted with one coat of antirust paint and 2 coats of white colour enamel paint.	1	S.Ft.		

Date :

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
 Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
 e-mail: rokano@barodaupb.co.in





बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

**BILL OF QUANTITIES FOR REPAIR & MAINTANCE –
SECTION- G**

F	Providing and Replacing of Electrical fittings & fixtures while replacing the Flex & Vinyl in case of damaged items. A sample quantity is mentioned below. Actual quantity as per site condition has to be Replaced and got certified from the Branch Head. (No Extra Charges for Wiring Etc. will be paid)	Unit	Qty	Rate	Total Amount
1.1	LED Tube light - 36 Watt (PHILIPS / OSRAM / HAVELLS)	NOS	1		
1.2	LED TUBE LIGHT DRIVER (PHILIPS / OSRAM / HAVELLS)	NOS.	1		
1.3	Installing Of Digital timer (L&T / MDS)	NOS	1		
	Total				

GST shall be paid extra as applicable.

Note:-

1. No extra payment shall be made for lift up to 25 ft. (bottom of the Signages) from floor level.
2. Scope of works at any location will be any one or more items from the above BOQ according to site condition.
3. Authorized Converter Certificate copy to be attached at the time of tender submission.
4. Vinyl/Flex/Retro Authorized distributor Material purchase order certificate to be produced at the time of invoice submission.
5. Flex/Vinyl/Retro Warranty certificate required at the time of invoice submission otherwise vendor payment will be hold by bank.
6. The Rates quoted will be valid for 2 Year. No Price Escalation will be considered.
7. Billing is based on actual square footage / quantity of the used material in Signages, certified by the Branch concern person / Branch Manager.

Date :

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rnkann@barodaunrb.co.in





बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

Annexure-II

ESCALATION MATRIX
Delivery / Service related Issue:

SN	Name	Designation	Mobile No	Email address
1		First Level		
2		Second Level		
3		III rd Level		
4		Regional Head		

Any change in designation will be informed by us immediately

Date:

Signature with designation company seal

क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: zokann@barodaunrrh.co.in



TECHNICAL SPECIFICATIONS FOR NEW SUPPLY (SUGGESTED)

1. SPECIFICATIONS FOR FLEX SUBSTRATE AND VINYL TO BE USED FOR SIGNAGE

I. **FASCIA-FLEXIBLE SUBSTRATE:** The properties are given in Table 1 below.

It shall have UV resistors added while manufacturing to prevent the whiteners turning yellow due to constant exposure to UV rays. The flex and Vinyl should be warranted for a period of five years from the date of completion against yellowing/graying of flex, plasticizer migration, wicking of flex, fungus or mildew formation, vinyl peel-off, fading, shrinkage, cracking and crazing etc.

II. **GRAPHICS:** Graphics shall be computer-cut with translucent vinyl matching the colour combination of Baroda U.P. Bank.

III. The Colour specification for the signage : Colour Pantone number (Baroda Vermillion) 1665C

IV. Brand Make - 3M/Avery Dennison/LG Hausys/or Equivalent

TABLE - 1 PHYSICAL PROPERTIES OF FLEXIBLE SUBSTRATE		
Property	Specification	Test Method
Thickness	600 micron +/- 10 %	DIN 53353
Total Weight	700 gm/ sqmtr +/- 5 %	DIN 53353
Base Fabric	Polyester	
Yarn	1000 x 1000 Denier	DIN EN ISO 2060
Elongation	<50 %	ASTM 882
Tensile Strength (L/W)	150/ 140 Kg/ 2.5 CM	DIN 53354 (Cut Strip)
Tear Strength (L/W)	25 /20 Kg	DIN 53354 (Single Tongue)
Adhesion Strength (PVC + Fabric)	50 Kg/ 5 Cm	DIN 53357
Light Transmission	25 to 32 %	
Substrate	Polyester scrim embedded in a white pigmented vinyl (or PVC based)	



TABLE -2 PHYSICAL PROPERTIES OF TRANSLUCENT VINYL		
Property	Specification	Test Method
Thickness (Including adhesive)	80m ± 10%	Micrometer
Tensile strength	400 ~ 1000 g/mm	ASTM 882
Elongation	100 ~ 300 %	ASTM 882
Peel adhesion(24hrs)	1,200g/in	180 peeling PSTC-1
Application temp.	10°C	18 to 25°C optimum, on clean substrate
Gloss	30 ± 5	@60, in Machine Direction (ASTM D 2457)
Dimensional Stability	Max 0.5%	Adhered to Aluminum Plate, Length Direction (100C Oven, 2hr , Average)
Release liner thickness	0.17mm ± 0.08mm	Micrometer
Colour	Baroda Vermillion - Pantone 1665 C	

Note:-

1. Written warranty shall be obtained for 5 years for per signage/site from the original manufacturer through vendors/ signage Contractor for Flex & Vinyl supply from date of installation. Vendors / Signage Contractor to submit tender specific authorization from Original Manufacturer for Flex / Vinyl.
2. Flex/ Vinyl Original Manufacturer should have presence in India either directly or through their subsidiaries by way of having its plants / sales offices in India.
3. Every signage warranty certificate submission shall be compulsory with execution invoice.
4. STANDARDS: All the materials shall conform to the required standards & safety aspects as specified in relevant ASTM/DIN/ BIS standards wherever applicable.
5. The sign boards have to be fixed at various heights from the ground level as per the requirement.

2. SIGN BOX SPECIFICATIONS :

- i. **SIGN CABINET STRUCTURE - FRAME WORK:** The Box (structure) should be fabricated using square MS tube 1" x 1" of 18 gauge (of Jindal, TATA or approved equivalent make) with primer and enamel painted. ISI grade GI Sheet of 24 gauge duly powder coated for side, top and bottom and 26 gauge for back should be used. Thickness of back-lit sign board should be minimum 9". Bird-proof vent holes to be provided on the GI sheets provided on the sides of the board to dissipate hot air. Aluminium drip cap with 2" projection to be provided on the top front edge of the sign board to protect the fascia from rain. All internal metal portions of the sign cabinet to be painted with one coat of Antirust paint and 2 coats of whitecolour enamel paint.



- ii. **SIGN CABINET SUPPORT:** The sign cabinet should be provided with suitable arrangements for fixing to existing wall surface or existing supporting structures available with suitable clamps, brackets, anchor bolts etc. The arrangements should be adequate to support the weight of the cabinet and to keep it firmly in position. The minimum requirement is that the signage frame work shall be anchored to the sunshade below using 'L' angle of 25mmx25mmx5mm thick equal angle in L shape at an interval of every 5 feet (of TATA, Jindal or equivalent approved make). Further the board should be anchored from top to the back wall using suitable steel/GI wire of minimum 8mm thick. All exposed clamps, brackets etc shall be painted with two coats of synthetic enamel paint over a coat of primer. Nothing extra will be paid for fixing the cabinet in position.
 - iii. **WELDING SPECIFICATIONS:** Branded welding rods should be used for welding the joints. Welding rod should be preheated prior to welding. Preheating the welding rods enables uniform & smooth flow of the welding material in the joints. If welding is done with preheated rod there will be no formation of open fissures in the joint due to smooth flow of welding material. Open fissures cause weakening of joints. Welding has to be done across the full cross section of the MS hollow pipe.
 - iv. **PROTECTION OF THE FRAME:** The entire frame of the sign cabinet post welding has to be grinded around the welding joints to remove spurs and undulations if any created during welding. Post grinding the joints, the MS pipe has to be painted with zinc chromate primer and 2 coats of synthetic enamel paint of white shade.
 - v. **FASTENERS:** The fasteners used shall be uniform and at such spacing that it does not spoil the appearance of the signage looking from the bottom or the sides. The head of the screw shall have capping of stainless steel.
 - vi. **SIGN BOX TENSIONING SYSTEM:** A suitable tensioning system should be used for stretching flexible substrate on the front part of the sign box such that there should not be any shrinkage, cracking and crazing. Flex wrinkling/ bends shall not occur post tensioning. To ensure that the flexible substrate is tensioned uniformly an extruded aluminum tensioning system with Allan key tensioning system with rubber beading should be adopted. The sign face shall be tensioned with tensioning system all along the length and width of the sign.
3. **PROCESS OF PASTING VINYL STICKERS OVER THE FLEX SUBSTRATE:**
The pasting vinyl stickers over the flex substrate shall be undertaken with all care and techniques such as using pre mask tapes to the vinyl before initiating the fixing of the same over the flex, it shall be ensured that vinyl is properly aligned to the flex without any gaps at the outer edges, there are no air bubbles, etc., The workmanship shall be of high standards and engineering.
 4. **FIXING OF THE SIGNAGES AND SAFETY AT SITE:** The signage providers shall duly assess the site condition for fixing securely by appropriate means using necessary clamp, hooks, fasteners and including minor civil works necessary at site. The entire signage so fixed at site shall withstand high wind pressures depending upon the actual locations / floor in which it is installed. It shall also be the responsibility of the signage solution provider for the safety of the installation, the signage till they accepted by the bank. While executing the work the labour force used shall comply to labour laws and all necessary safety measures shall be undertaken like using scaffolds, ladders, safety belts, helmets, gloves, appropriate tools. Suitable precautions shall be taken against overhead power lines, slippery surface or such other hazards which may be in the close proximity to the premises / site. Any damages to the signage during the process of installation will result in rejection of the signage and the same shall be replaced at their own cost.



5. ELECTRICAL COMPONENTS:

Specifications of Single Sided LED Modular Lights:

Sr. No.	Parameters	Significance	Desirables
Specifications for LED Module			
1	Make of LED Chip	To have creditable and quality products	Nichia/Cree/Lumileds/Osram
2	Make of LED Module	To have creditable and quality products	Osram/Lighting Technologies/Tridonic
3	LED Module Product Name	To have creditable and quality products	OsramBackLED M Plus G15/LT Maze SLHO/Tri doni cT ALEXXchain Crystal Classic P541
4	Colour CCT	CCT defines the color which the light will Emit. 2000-3000K : Warm White; 3000-5000K : Day light color 6000-7000K : Pure white color ; >7000K : Cool white color	6500Kelvin(K)
5	Certifications of LED Chip	To check brightness	LM 80
6	Beam Angle	A beam angle defines the distance at which the module can be kept behind the vinyl to have uniform brightness	>=150 Degree (Angle of Irradiation)
7	Mounting Technology	LED Mounting - compactness by SMD Module Mounting - Modules should not come out with heating and wind pressure.	Surface Mounted Device (SMD)
8	Watt/Module	Wattage per module helps to calculate total power our signage will consume.	0.72 W/ 0.75 W
9	LED Module Per Sqft in Signage	To check no. of LED's used in a Signage.	3 Module/ Per Sqft



10	System efficacy (Lm/W) or Lumin Output	It is a measure of the efficiency of a lighting system.	>95-100 Lm/W
11	Operating temperature	To ensure proper functioning of signages at various locations.	-40 degree C to + 65 degree Centigrade
12	LED Module life	It indicates the number of hours before the luminance drops to 70% of initial output.	Min 50000 Burning Hrs (L70/B50) at 85 degree Centigrade
13	Housing Module Material	Housing module material selected for holding the LED chip and lens.	Poly carbonate (PC) / RoHS (Reduction of hazardous substances) Compliant material to be used.
14	CRI (Colour Rendering Index)	The color rendering index (CRI) is the index of LED tube light compared with natural light.	>=80
15	Protection Class	IP defines the protection of Modules for Dust and water	IP66
16	Certifications & Standards for Modules	No Hazardous substance and meeting international standard.	BIS/LM79/LM80
17	LED Module Certification		Yes
18	Internal drivers in modules		Yes
19	Optics		The chip should have an optical lens.
Specifications for LED Driver			
20	LED Driver	Converts I/P AC voltage to DC voltage for LEDs.	Osram/Lighting Technologies/ Tridonic
21	LED Driver Name	Converts I/P AC voltage to DC voltage for LEDs.	" Osram OptotronicSeries/Lighting Technologies (LT)/Tridonic TALEXX converter
22	Driver Wattage (W)	Wattage at which driver is designed.	s 40W/60W/100W/120W
23	Surge protection (in KV inbuilt)	To protect the system from fluctuation in voltage.	Inbuilt Min 6 KV (Line to ground)
24	Supply voltage for drivers (Input Voltage)	Voltage range at which LED driver s function.	90 V-300 V
25	Protection		Over Voltage, Over Current, Over Temperature, Short circuit.



26	IP Rating	IP defines the protection of Modules for Dust and water	Min. IP67
27	Output Power		40W/60W/100W/120W
28	Standards for LED Driver	International standards.	CE (European Conformity)/CB/C-Tick / UL (Underwritten laboratory) EN 55015,EN 62031 EN 61000-3-2 ,EN 61000-33,, EN 61000-4-5, EN 61547, EN 61347-1, EN 61347-2-13 or As per IEC.
29	Cable for modules	Standard cable to avoid heat and fire.	AWG 18
30	Cable for drivers	Standard cable to avoid heat and fire.	AWG 18 / AWG 17
31	Warranty	To ensure quality and life of product.	5 Years warranty on LED modules and Drivers
32	THD (Total Harmonic Distortion)		< 10%
33	Short Circuit Protection		Automatic, Reversible
34	Over load Protection		Automatic, Reversible
35	Over temperature protection		Automatic, Reversible
36	UL/CE/ROHS/ENEC/BI S		Yes
37	Input Under Voltage		Shut down and auto- restart
38	Manufacturer		Osram/ Lighting Technologies/ Tridonic
Protection Rating		Description	
IP66		Fully protected from dust and protected against heavy seas or powerful jets of water	
IP67		Fully protected from dust and can also withstand being submerged in 1m (about 3.3 feet) of static water for up to 30 minutes	

Note

1. Written warranty shall be obtained for 5 years for per signage/site from the original Manufacturer through vendors/ signage Contractor for LED Modules & Power Supply from date of installation. Vendors / Signage Contractor to submit tender specific authorization from Original Manufacturer for LED Modules & Power Supply
2. Every signage warranty certificate submission shall be compulsory with execution invoice



3. STANDARDS: All the materials shall conform to the required standards & safety aspects as specified in relevant ASTM/BIS standards wherever applicable.
4. The sign boards have to be fixed at various heights from the ground level as per the requirement.

15. RETRO REFLECTIVE SIGN BOARDS & LOLLIPOP/INDICATOR BOARDS

Specification- Retro Reflective Sign Boards (Laminated)	
Structure Pipe	1 inch
Sheet	Aluminium composite pannel (ACP) – 2 mm
Base	Retro Reflective sheet colour white
Retro sheet	HIP (High Intensity Prismatic), Type-4, Class B
Brand	3M, Avery Dennision, Conforming to ASTMD4956
Specification- Retro Reflective Lollipop/Indicator Boards (Laminated)- Double Side	
ACP Sheet	2mm (3X2 feet, Rectangular shape)
Base	Retro Reflective sheet colour white
Retro sheet	HIP (High Intensity Prismatic), Type-4, Class B
Brand	3M, Avery Dennision, Conforming to ASTMD4956
M.S. Tee Section	Double M.S Tee section ISMT 50x50x6 mm of support length of 2500 mm
Specification- Vinyl Lollipop/Indicator Boards (Laminated) - Double Side	
ACP Sheet	2mm (3X2 feet, Rectangular shape)
Base	Vinyl 3M (Scotchall 3630 series, 3650 series,7725 series)
M.S. Tee Section	Double M.S Tee section ISMT 50x50x6 mm of support length of 2500 mm

Note :-

1. Written warranty shall be obtained for 10 years for per signage/site from the original Manufacturer through vendors/ signage Contractor for Retro Reflective Sign Boards/Indicator Boards and 5 years for Vinyl Indicator Boards per board/site from date of installation. Vendors / Signage Contractor to submit tender specific authorization from Original Manufacturer for ACP & Retro.
2. Every signage warranty certificate submission shall be compulsory with execution invoice
3. STANDARDS: All the materials shall conform to the required standards & safety aspects as specified in relevant ASTM/BIS standards wherever applicable.
4. The sign boards have to be fixed at various heights from the ground level as per the requirement.
5. References 10'X3', 12'X3', 15'X4', 20'X4' & 25' X 4'



BARODA U. P. BANK

REGION : KANPUR

Address & Telephone Numbers of Branches

SR	BRANCH NAME		COMPLETE POSTAL ADDRESS		PIN CODE	BRANCH CUG MOBILE Number
	ENGLISH(BLOCK CAPITALS)	HINDI	ENGLISH(BLOCK CAPITALS)			
1	ARAUL	अरौल	VPO-ARAUL DISTRICT KANPUR NAGAR-209202		209202	7310108524
2	BAKOTHI	बाकोठी	VPO-BAKOTHI DISTRICT KANPUR NAGAR-209202		209202	7310108525
3	BARAIGARH	बरौगढ़	VPO-BARAIGARH DISTRICT KANPUR NAGAR-209209		209209	7310108526
4	BARIPAL	बरिपाल	VILLAGE-BARIPAL PO BARIPAL DISTRICT KANPUR NAGAR-208001		208001	7310108527
5	BARRA	बर्रा	J-21, BARRA, POST BARRA, KANPUR NAGAR-208027		208027	7310108528
6	BARRAJPUR	बर्राजपुर	VILLAGE- BARRAJPUR POST SHIVRAJPUR DISTRICT KANPUR NAGAR-209205		209205	7310108529
7	BAUSER	बासर	VPO-BAUSAR DISTRICT KANPUR NAGAR-209402		209402	7310108530
8	BEERAMAU	बीरमऊ	VPO- BEERAMAU DISTRICT KANPUR NAGAR-209210		209210	7310108531
9	BHAILAMAU	भैलमऊ	VPO BHAILAMAU BHAUNTI- DISTRICT KANPUR NAGAR-209305		209305	7310108532
10	BHITARGAON	भीतरगाँव	VPO- BHITERGAON DISTRICT KANPUR NAGAR-209209		209209	7310108533
11	BIDHNOO	बिड़नू	VPO- BIDHNOO DISTRICT KANPUR NAGAR-209214		209214	7310108534
12	BILHAUR	बिहौर	VILLAGE- BILHAUR POST- G T ROAD DISTRICT KANPUR NAGAR-209202		209202	7310108535
13	BINGAWAN	बिंवाण	40 D II HANSPURAM, NAUBASTA KANPUR NAGAR-208021		208021	7310108536
14	BIRHAR	बिरहर	VILLAGE BIRHAR PO BIRHAR DISTRICT KANPUR NAGAR		209209	7310108537
15	BITHOOR	बिठूर	VPO- BITHOOR DISTRICT KANPUR NAGAR-209201		209201	7310108538
16	CHAUBEPUR	चाँबेपुर	VILLAGE CHAUBEYPUR POST- G T ROAD DISTRICT KANPUR NAGAR-209203		209203	7310108539
17	DILEEP NAGAR	दिलीपनगर	VPO- DILEEPNAGAR DISTRICT KANPUR NAGAR-209204		209204	7310108540
18	ETARABAZAR	इतारा बाजार	VILLAGE AND POST : ETARA BAZAR DISTT. KANPUR NAGAR-209121		209121	7310108541
19	GABRAHA	गबराहा	VPO- GABRAHA DISTRICT KANPUR NAGAR-209293		209293	7310108542
20	GHATAMPUR	घाटपुर	VPO- GHATAMPUR DISTRICT KANPUR NAGAR-209206		209206	7310108543
21	GUJAINI	गुजैनी	VILL & POST:GUJAINI DISTT:-KANPUR NAGAR		208022	7310108544
22	ITARRA	इतारा	VPO- ITTARA DISTRICT KANPUR NAGAR-209206		209206	7310108545
23	KAINDHA BAZAR	काँइधा बाजार	VILLAGE KAINDHA PO KAINDHA DISTRICT KANPUR NAGAR		209214	7310108546
24	KALAYANPUR	कालयानपुर	VILLAGE KALYANPUR POST-KALYANPUR, G.T.ROAD DISTRICT KANPUR NAGAR-208017		208017	7310108547
25	KAMSAN	कमसन	VPO- KAMSAN DISTRICT KANPUR NAGAR-209202		209202	7310108548
26	KASAMAU	कासमऊ	VILLAGE- KASAMAU POST BHAUSANA DISTRICT KANPUR NAGAR-209202		209202	7310108550
27	KATHARA	काथारा	VPO- KATHARA DISTRICT KANPUR NAGAR-209214		209214	7310108551
28	KATHERUA	काथरुआ	VPO- KATHERUA DISTRICT KANPUR NAGAR-209214		209214	7310108552
29	KHYORA	क्यौरा	MI 402/41 WARD 165 SURYA VIHAR, KANPUR NAGAR		208017	7310108553
30	KORIYA	कोरिया	VPO- KORIYA DISTRICT KANPUR NAGAR-209206		209206	7310108554
31	KUDNI	कुदनी	VPO- KUDNI DISTRICT KANPUR NAGAR-209209		209209	7310108555
32	KURIYAN BAGH	कुरिया बाग	VILLAGE: BAGHARA PO SANIGAWAN BLOCK CHAUBEPUR TEHSIL BILHAUR DISTRICT KANPUR NAGAR		208021	7310108556
33	MAINOFFICE	मुख्यालय	117/ND/88 KAKADEO, DISTT:-KANPUR NAGAR, 208025		208025	7310108549
34	MALLROAD	मल्लरोड	37/19, F-MALL ROAD, INFRONT OF RBI, POST MALL ROAD KANPUR NAGAR-208001		208001	7310108557



BARODA U. P. BANK

REGION : KANPUR

Address & Telephone Numbers of Branches

SR	BRANCH NAME		COMPLETE POSTAL ADDRESS		PIN CODE	BRANCH CUG MOBILE Number
	ENGLISH(BLOCK CAPITALS)	HINDI	ENGLISH(BLOCK CAPITALS)			
35	NARAMAU	नरमाऊ	VPO- NARAMAU DISTRICT KANPUR NAGAR-209217		209217	7310108558
36	NAURANGA	नौरंगा	VPO- NAURANGA DISTRICT KANPUR NAGAR-209206		209206	7310108559
37	NAVEDI	नावेदी	VILLAGE- NAVEDI POST PARA CHAND DISTRICT KANPUR NAGAR-209402		209402	7310108560
38	PALI	पाली	VILLAGE PALI POST-BHOJIPUR DISTRICT KANPUR NAGAR-209402		209402	7310108561
39	PANKI	पणकी	15B C, PANKI KANPUR NAGAR-208020		208020	7310108562
40	PARAS	परास	VPO- PARAS DISTRICT KANPUR NAGAR-209206		209206	7310108563
41	PATARA	पठारा	VPO- PATARA DISTRICT KANPUR NAGAR-209306		209306	7310108564
42	RAHIMPUR	राहीमपुर बिश्दहन	VPO- RAHIMPUR BISHDHAN DISTRICT KANPUR NAGAR-209202		209202	7310108565
43	RAMADEVI	रामदेवी	RAMADEVI, POST HARJINDER NAGAR KANPUR NAGAR-208007		208007	7310108566
44	RAMAIPUR	रामापुर	VPO- RAMAIPUR DISTRICT KANPUR NAGAR-209214		209214	7310108567
45	RAMPUR	रामपुर	VILLAGE RAMPUR POST-ANOOPI DISTRICT KANPUR NAGAR-208001		208001	7310108568
46	RATHIGAON	राठीगाँव	VPO- RATHIGAON DISTRICT KANPUR NAGAR-209001		209101	7310108569
47	REONA	रेडना	VILLAGE - REONA POST - REDNA TAH- GHATAMPUR DISTRICT KANPUR NAGAR -209206		209206	7310108570
48	ROOMA	रूम	ROOMA DISTRICT KANPUR NAGAR-208001		208001	7310108571
49	SADH	साध	VPO- SADH DISTRICT KANPUR NAGAR-209209		209209	7310108572
50	SAJETHI	साजेठी	VPO- SAJETHI DISTRICT KANPUR NAGAR-208001		208001	7310108573
51	SAKET NAGAR	साकेत नगर	VILL & POST SAKET NAGAR DISTT-KANPUR NAGAR		208014	7310108574
52	SAKHEREJ	साखरेज	VPO- SAKHEREJ DISTRICT KANPUR NAGAR-209204		209204	7310108575
53	SAMBHALPUR	सम्भलपुर	VPO- SAMBHALPUR DISTRICT KANPUR NAGAR-209205		209205	7310108576
54	SANIGAWAN	सानिगाव	VILL & POST SANIGAWAN DISTT-KANPUR NAGAR		208021	7310108577
55	SARSAUL	सर्सौल	VPO- SARSAUL DISTRICT KANPUR NAGAR-209402		209402	7310108578
56	SIKATIAPURWA	सिकटिया पुरवा	VILLAGE- SIKHATIYA PURWA POST PURWAMEER DISTRICT KANPUR NAGAR-209402		209402	7310108579
57	SYODHARI	सोदारी	VILLAGE PATARSA PO PATRSA DISTRICT KANPUR NAGAR		209206	7310108580
58	TATIYAGANJ	तातीयागंज	VILLAGE-MAHARAJPUR PO TATYAGANJ BLOCK BIHNOO TEHSIL KANPUR DISTRICT-KANPUR NAGAR		209217	7310108581
59	TIKRA	तिकरा	VILL & POST TIKRA DISTT-KANPUR NAGAR		209217	7310108582
60	TIWARIPUR JAJ	तिवारीपुर जज	J.K.COLONEY, ROAD MANAS VIHAR KANPUR NAGAR		208021	7310108583
61	UMARI	उमारी	VILLAGE PASI KHERA PO UMARI DISTRICT KANPUR NAGAR		209209	7310108584
62	UTTARI	उत्तारी	VILLAGE UTTARI POST-UTTARI DISTRICT KANPUR NAGAR-209310		209310	7310108586
63	UTTARIPURA	उत्तारीपुरा	VPO- UTTARIPURA DISTRICT KANPUR NAGAR-209310		209210	7310108587
64	VIJAY NAGAR	विजय नगर	121/636, VIJAY NAGAR POST HARIHARNATH SHASTRINAGAR, KANPUR NAGAR-208005		208005	7310108588
65	YASHODA NAGAR	याशोदा नगर	R-103, YASHODANAGAR, POST YASHODANAGAR, KANPUR NAGAR-208011		208011	7310108589
66	REGIONAL OFFICE	क्षेत्रीय कार्यालय	117/N/26 KAKADEO, DISTT-KANPUR NAGAR, 208025		208025	7310108509

