

# TENDER NOTICE

Baroda U.P. Bank, Regional Office Faizabad, intends to invite Tenders from bonafide empanelled contractors for the proposed interior work of KATKA NOORPUR Branch at AmbedkarNagar, U.P. as per enclosed Offer Bid/BOQ proforma.

The completion period of work will be 30 days from the date of issue of order. The work shall be executed under the supervision of our consulting Architect and as per specifications demonstrated in Offer Bid proforma/BOQ.

Offer Bid proforma/BOQ is attached with this notice. Offer should be valid for a minimum period of -120days from the last date of submission. No brokerage shall be paid. The sealed covers marked as Bid superscribing "FURNISHING WORK BID FOR KATKA NOORPUR BRANCH" be put in one sealed cover/packet addressed and submitted to The Regional Manager, Baroda U.P. Bank, Regional Office-Faizabad , Baldev Niwas Compound, Acharya Narendra Dev Nagar, Reidganj, Faizabad, U.P.-224001 within 15 days from the day of publication of this advertisement / on or before 13.05.2021 by 17.00 hrs.\*

Any decision taken by Bank at any point of time in connection with this process shall be final and conclusive and no claim or dispute from any quarter in that regard shall be entertained.

Date: 29.04.2021

legional Man

Attached: Offer Bid Proforma/BOQ

क्षेत्रीय कार्यालय : बलदेव निवास कम्पाउण्ड, आचार्य नरेन्द्रदेव रोड , फैजाबाद-224001 (उ.प्र.), दूरभाष : 05278-244032, फैक्स : 05278-241706 Regional Office : Baldev Niwas Compound, Acharya Narendradev Road, Faizabad-224001 (U.P), Tel.: 05278-244032, Fax : 05278-241706; E-mail : rofaiz@barodauprrb.co.in 28 | P a g e

**Gunjan and Associates** 

Architects, Engineers, Interiors & Landscape Designers 141,Sainik Nagar,Raibareilly Road, Lucknow-226002 Phone: 0522-3553324, 9839018489, 9838818489 E-mail:sudio@gunjanandassociates.com URL:www.gunjanandassociates.com

## Bill of Quantity of Furnishing works for Baroda U.P. Bank

Branch at Katkanoorpur Ambedkar Nagar

**Region - Faizabad** 

1.No offsite prefabrication shall be allowed in any case. All fabrication shall be done at the site after getting the materials inspected by the architect

2.No payment shall be made for any in completed or unsatisfactory work

3. The Contractor should strictly follow the Booklet requirements of the Bank

including the detailed drawings in the booklet. Any discripencay between the booklet and the Specificaions below should be brought to the notice of the Architect.

4. List of material to be strictly as per the booklet.

5. Cable Managers to be provided in the tables and Counters wherever required.

### 6. All underframe should be properly treated with antitermite and waterproofing material

7. All Locks in the drawers and doorsetc. should be of Godrej

8. All keyboard Trays and Drawers to be on Channel Sliding Mechanism.

# \*The contractor to follow the banks colour Coding. Any other specified colour to be superceded by the Banks Colour code.

S.No.	Description of item	Unit	Qty.	Rate	Amount
1	Manager Table of WPC Board	NOS.	1.00		
	Same as above complete work including 12 mm thick glass on top.				
	Size-5'-6" X 2'-6" X 2'-6"				
	WPC Board-18 mm thick WPC Board				
	Supports-all exposed edges to be finised with Plastic edge tapes				
	Drawer-MOBILE PEDESTAL - 2D+1F SIZE : 400W X 467D X 640HT Pedestal are made of 18mm WPC Board duly Laminated with two drawer unit and one filing unit The drawer units are made mobile with the use of castors. The drawer units are provided with suitable locks and recessed handles. ABS KEYBOARD TRAY WITHOUT MOUSE PAD and CPU TROLLEY are included. the top drawer to have partition for keeping cash .All internal surfaces to be duly painted with two coats of enamel paint in the colour specified by Architect .shutters				
	Laminate-1.0mm thick approved colour				
	Foot Rest-18 mm thick WPC Board tapered box finish with polish				
	Handle-Brush finish stainless steel, Brass Ball Catches 12.0 thick plain glass with edge polish at top of the table (Other Exposed Edge of Ply with half round beading with approved colour polish)				
2	Officer Table of WPC Board	1.00	NOS.		
	Size-4'-9" X 2'-6" X 2'-6"				
	WPC Board-18 mm thick WPC Board				
	Supports-all exposed edges to be finised with Plastic edge tapes				

	Drawer-MOBILE PEDESTAL - 2D+1F SIZE : 400W X 467D X 640HT Pedestal are made of 18mm WPC Board duly Laminated with two drawer unit and one filing unit The drawer units are made mobile with the use of castors.The drawer units are provided with suitable locks and recessed handles.ABS KEYBOARD TRAY WITHOUT MOUSE PAD and CPU TROLLEY are included.the top drawer to have partition for keeping cash .All internal surfaces to be duly painted with two coats of enamel paint in the colour specified by Architect .shutters Laminate-1.0mm thick approved colour Foot Rest-18 mm thick WPC Board tapered box finish with polish			
	Handle-Brush finish stainless steel, Brass Ball Catches 12.0 thick plain glass with edge polish at top of the table (Other Exposed Edge of Ply with half round beading with approved colour polish)			
3	Aluminium Partition 7'-0" for Cash Cabin Aluminium Decorative Grill Partition. Partition to Include Top Grill of Cash Cabin Powder Coated Aluminium Section	Sq.ft.	155.00	
	(Cash Cabins) Solid with WPC Board till 4'-0" then Aluminium Decorative Grill height till 6'-6" then again solid Decorative Grill (12mm thk)-hexagonal opening as per instruction of Bank's Engineer/Architect.) All exposed edges shall be fixed with beading as per direction of the architect. All other specification shall be as 1 above The Partition to include front glazing 12 mm thick glass in two parts as opening to be left for voice transaction.			
4	FRONT COUNTER AND CASH COUNTER Cash Counter of WPC Board	Rft.	5.25	
	Do as above item no. 6 above cash counter shall have two tops i.e. one at 2'-6" for writing top & other 4'-0" for customer top. upto 7'-0" height (Full front portion and writing top made of 18 mm WPC Board duly Laminated and finised with Plastic Edge Tapes. MOBILE PEDESTAL - 2D+1F SIZE : 400W X 467D X 640HT Pedestal are made of 18mm PVC Board duly Laminated with two drawer unit and one filing unit. The drawer units are made mobile with the use of castors.The drawer units are provided with suitable locks and recessed handles.ABS KEYBOARD TRAY WITHOUT MOUSE PAD and CPU TROLLEY are included.the top drawer to have partition for keeping cash .All internal surfaces to be duly painted with two coats of enamel paint in the colour specified by Architect			
5	Front Counter of WPC Board	Rft.	14.10	
	Providing & Fixing clerical counter made out of 18.0mm thick WPC Board weighing 28 kg which is Anti-Termite fireproof board (Rhino). The front face sides and top to be laminated with 1 mm thick mica secured firmly to the WPC Board with top quality adhesive (Only Fevicol). The exposed edges to be neatly finised with Plastic Edge Tapes, complete in all respect to the satisfection of the architect. The clerical counter shall have 2'-6" in depth & counter shall have two tops i.e. one at 2'-6" for writing and second at 3'-0" for customer in height finish in approved make/color black granite of top on the counter. complete. The clerical counter shall have 1 No. of key board tray, 2 Nos. of equal drawers or as per the Bank requirements & one open able shutter. MOBILE PEDESTAL - 2D+1F SIZE : 400W X 467D X 640HT Pedestal are made of 18mm WPC Board duly Laminated with two drawer unit and one filing unit The drawer units are made mobile with the use of castors.The drawer units are provided with suitable locks and recessed handles.ABS KEYBOARD TRAY			

	The storage unit shall consist of vertical space dividers of 18 mm board with 1.0 mm laminate till the glass top for the provision of holding withdrawl/ deposit slips stationery etc. The counters to be held in position around the columns by dash fastners at a height of 3.5/ 4 ft. Notice board with cellotex base & cloth bound in corporate coloured binded with teak wood lipping of 35 by 18 mm.size 1500X1200.All wooden surfaces to be finished in clear melamine polish and all unexposed sides to be finished in enamel paint of approved colour to be approved by the designer all complete as per detailed drawing, specification and direction of the Engineer in Charge.			
	Providing and fixing in position a writing counter with open storage made of 18mm thick WPC Board finished with 1.0mm laminate and Plastic edge tapes, 6mm glass top with polished edges as per drawing and design. The glass to be of size to fit internally and the 19mm border and 6mm lipping to be flushed with the glass.			
10	Notice Baord	No.	1.00	
9	Column /Wall Panelling /Meter Boxing of WPC Board Providing & fixing in position Column Panelling 18 mm thick WPC Board finised with 1 mm thick laminate with approve colour as per direction of the Architect.	Sq.ft.	80.00	
	Internal surface zinc oxide polish and other required accessories instructed by Bank's Engineer/Architect.	0 (		
	Lock-Vijayan/Godrej			
	Handle-Brush finish stainless steel			ļ
	Shelf-18 mm thick WPC Board			
	WPC Board-18 mm thick WPC board for side top and door & back 6.0mm IS 303 with shutters, shelf 18 mm thick WPC Board			
-	Board Size-2'-6" highX 1'-6"deep			
8	Storage (Low Height / Full height Storage/ Overhead /Side Credenza of WPC	Sq.ft.	55.00	
	Same specification as above except that the height of the block partition shall be 3' 0" and above that the glazing shall be in 1'6" height 12 mm thick glass complete in all respect to the satisfaction of the architect.			
7	Low Height Partition. Powder Coated Aluminium Section of WPC Board	Sq.ft.	230.00	
	12 MM glass with rounded edges with etching as per the requirement of bank for Front counter (Height: 60 cms) (With teak wood frame 70 cm).			
6	12 MM Glass on Front Counter & Cash Counter ( Glass to be Toughened )	Sq. ft.	40.00	
	Hinges, Ball Catches, Stainless Steel Locks, approved design Stainless Steel Handles, Stainless Steel Powder Coated Grommet (wire manager), Foot Rest (Movable) Earl-Bihari make Twin Telescopic Channel, CPU Hanger/Trolly INNOFIT make etc. complete as per detail drawing and Instructions of the Bank's Engineer/Architect All internal surfaces to be duly painted with two coats of enamel paint in the colour specified by Architect.			

					& Associate
				Ar.	Gunjan Kapu
			For	(Ar. GUNJAN & ASSPL (Ar. GUNJAN H PROPRIET	APUR) OR
			For	GUNJAN & ASSOC	TATES
Note:	All rates are excluding G.S.T.				
	TOTAL (Rs.)				
13	Bayback of Old Furniture	Job	1.00		
	Total				
-	All complete to the satisfaction of the Architect.				
-	Suitable for door weight up to 60 kgs. Suitable for 180 / 100 degree door opening.				
-	Suitable for door/frame mounting.				
-	Suitable for right hand and left hand opening doors.				
-	Adjustable closing speed.				
-	Rack and Pinion-made of machined alloy steel duly heat - treated.				
-	Body manufactured from Aluminium extruded alloy machined to extreme accuracy.				
	Product Code - 4539 or equivalent) for doors. It shall incorporate the following –				
	Providing and fixing of hydraulic door closure (Make - Godrej,				
12	Hydraulic Door Closure. ( to be Godrej )	No.	1.00		
	The storage unit shall consist of vertical space dividers of 18 mm board with 1.0 mm laminate till the glass top for the provision of holding withdrawl/ deposit slips stationery etc. The counters to be held in position around the columns by dash fastners at a height of 3.5/ 4 ft. Notice board with cellotex base & cloth bound in corporate coloured binded with teak wood lipping of 35 by 18 mm.size 1500X1200.All wooden surfaces to be finished in clear melamine polish and all unexposed sides to be finished in enamel paint of approved colour to be approved by the designer all complete as per detailed drawing, specification and direction of the Engineer in Charge.				
	Providing and fixing in position a writing counter with open storage made of 18mm thick WPC Board finished with 1.0mm laminate and Plastic edge tapes, 6mm glass top with polished edges as per drawing and design. The glass to be of size to fit internally and the 19mm border and 6mm lipping to be flushed with the glass.				

#### BARODA U.P BANK

### LIST OF MATERIALS OF APPROVED BRAND AND/OR MANUFACTURER

- The contractor shall use materials in their work subject to inspection, prior to dispatch, by Owner or his authorized representative of any materials not otherwise specified, shall be in Accordance with the following list. All materials not otherwise specified shall be in accordance With the latest Indian Standard Specifications, where such exists with prior approval of Owner /Architects. The contractor shall be bound to offer sample of materials, which are Claimed to be conforming to I.S Specification, for testing at an approved testing laboratory.
- Contactor shall purchase all materials from the makers or their authorized stockist only. Necessary documentary evidences must be produced to the Owner or their authorized Representative on demand.
   Contractor shall be bound to supply items or any make of the items as per the choice of

Α	CIVIL / FURNISHING WOR	K
S.No	Description	<b>Approved Brand/ Manufacturer</b>
1.	Cement	M/s ACC, M/sPrism ,M/s Jaypee
2.	Wood	Kail wood
3.	Polish	MRF Polyurethane
4.	Termite treatment	Chloroporyphos 20% concentration / Dusban
		/Terminator pidlite make
5.	Soft Board	Celotex
6.	False Ceiling and Sections	Grid TilesArmstrong, St Gobain Gypsum India,
7.	Aluminium sections	Hindalco, Jindal, Indal
8.	Vitrified Floor tiles	SOMANY,ASIAN,JOHNSON
9.	Block boards / Plywood/Flush	M/s Alstone, M/s Amulya
	doors	No alternate brands from the same manufacturer allowed
10.	Laminates	M/s Green, M/s Merino, M/s Century, M/s Archid, 1.0
		mm thick only.
11.	Hardware-(Aluminimum)	Approved design, brand, quality & manufacture
		Allowed
12.	Hardware	ALL HARDWARE TO ONLY GODREJ
13.	Drawer/ cabinet	Dorset / Kitch/ Godrej/ hettich
	Handless/locks	
14.	Magnet Catcher	Supreme, Excel
15.	Drawer / cabinet shutter	Ebbco, Hettich, Hafele
	Accessories	
16.	Synthetic Enamel Paints,	Asian Paints Ltd), Berger Paints (India) Ltd.(Luxol),
	Distemper or Plastic paint	ICI, Nerolac.
	Best quality of make as	
17	approved	
17.	Venetian blinds/ verticals	Vista/sun
18.	Glazing	M/s Modiguard, M/s asahi india, Saint Gobain.
19.	Door Closer/ floor spring	Godrej, Dorma, Ozone
20.	Glue Addhessive	Fevicole, Century
21.	Door handles/ Locks	Godrej Excel GKW
22. 23.	Screw	Excel GKW Flora, Perfect
	Glass brass bracket	
24.	POP bag or readymade work	Diamond (Super fine quality)
25.	GI section for Partitions,	Same Company as of Gypsum Bard or Mineral Fibre tiles
26.	Panel, false ceiling Film	Alkor, Garware, 3M
20.	Plants	
27.	Wire management holes	Twinkle
28.	Cement Board	E board, Bison,
30.	Vitrified floor tiles adhesive /	Bal Endura, Dr. Fixit Fevimate XL with Polymer
50.	Grout	Modified Mortar, ROFF Granite tile adhesive
31.	Texture	Spectrum, Heritage, Acro paint
51.	10/10/10	speer unit, Heritage, Aero punit

#### the Owner/ Architects. A CIVIL / FURNISHING WORK

32.	Upholstery	Raymonds
33.	Sanitary Fixtures	Cera, Hindware, Parryware
34.	GI Pipes and accessories	ТАТА
35.	CI Pipes and accessories	NECO
36.	Plumbing Fittings	Jaquar Continental series
37.	Ceramic Tiles	Kajaria (High Lighter Concept)
38.	Chairs / Sofa	Godrej, Delite / Debono

