



बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

संदर्भ : क्षेत्रावा / आवि / Tender-5 / 2021

दिनांक : 24-12-2021

TENDER FOR FURNISHING WORK OF FAATMAN ROAD BRANCH- VARANASI

Baroda UP Bank, Regional Office, Gulab Badi, Chaukaghat, Varanasi invites sealed tender for **FURNISHING WORK** for our FAATMAN ROAD BRANCH, VARANASI.

01. Tender Issuing Date	: 24.12.2021
02. Last date of submission of tender	: 13.01.2022 at 3.00 PM
03. Date of opening of Tender	: 13.01.2022 at 4.00 PM
04. Tender to be Addressed to	: The Regional Manager Baroda U P Bank Regional Office- Varanasi J 12/140-D-1, Gulab Badi, Chaukaghat, Varanasi – 221001 (UP)

Terms & Condition of tender:

- Rates should be quoted on the space provided in the **annexure attached only**. No other sheet /form should be used for quoting rates.
- Rates quoted only by Bank's empanelled Vendor will be consider/accepted.
- The competent Authority (Bank) does not buying themselves to accept the lowest or to give any reasons for its decision of acceptance or rejection of tenders.
- In complete in any respect or conditional tender shall liable to be rejected.

Other conditions

- The registration number of the along with GST no. allowed by the authorities must be submitted.
- PAN NUMBER of the firm allotted by the income tax authorities should be submitted (without which the vendor's bid would became invalid and shall be liable to be reject).
- Conditional tenders shall not be accepted on any ground and shall be rejected straight.
- Any deviation of the conditions given by the purchaser will not be accepted and bid will be rejected without assigning any reasons.
- If any clarification is required the same should be obtained before submitting the bid.
- The Entire document must be signed with the seal and attached as a mark of acceptance of the terms & conditions.
- BUPB's reserve the right to accept or reject any bid whole or in parts without assigning any reason thereof.
- Bank's decision will be final and no correspondence will be entertained in this regard.

क्षेत्रीय कार्यालय, जे-12/140-डी-1, गुलाब बाड़ी, चौकाघाट, वाराणसी-221001, दूरभाष: 0542-2201094
Regional Office, J-12/140-D-1, Gulab Badi, Chaukaghat, Varanasi-221001, Telephone: 0542-2201094

e-mail: ROVARA@barodauprrb.co.in





बड़ौदा यू.पी.बैंक
Baroda U.P. Bank

- In case of delay in submission/non submission of bids, Bank will not assume any responsibility.
- Bank may reject any or all quotations without assigning any reason.

Tender Submission:

Submission of tender in sealed envelope super scribing "TENDERS FOR FURNISHING WORK OF FAATMAN ROAD BRANCH, VARANASI" addressed to Baroda UP Bank, J 12/140-D-1, Gulab Badi, Chaukaghat, Varanasi , Complete in all respect by 3:00 PM Dated 13-01-2022. Tenders received after shall not be entertained.

Tender must be submitted through hand to hand or through register post.

Evaluation of tender:

Quoting incredibly low value of items with the view of subverting the tender process shall be rejected straight away.

Yours Faithfully,

(M.K.Jha)

Regional Manager



श. अ.

**Schedule of Quantity Tender for furnishing work of Baroda U.P. Bank Fatman Road
Branch R.O.& Dist-Varanasi**

S.No.	Items of work	Qty	Unit	Rate	Amount.(Rs.)
1.	Bank Low ht. Counter 2'-6'' Wide Made out of 19mm thick Board with drawer unit and Front side 12mm thick Etching Glass supported with teak Wood Or Aluminium member with 1.0mm thick Laminate on the top & drawer unit shall be Provided on one side while with space for CPU By its side. Pull out tray on slide shall be Provided on each counter for keeping keyboard. All the exposed edges shall have 6 mm th. TW Lapping duly polished. Inside surface shall be Enamel painted two coats over primer coats. It Shall be locks & handles etc. Provision for wire Management shall be made. Complete work as Per branch Manager/Architect Satisfaction.	32.00	Rft.		
2.	P/F of Bank Cash Counter in partition two level Cash counter 5'-6'' long (with 3'-10'' and 2'-6'' Height) counter for customer to be 1'-6'' wide And counter to be 3'-0'' wide with drawer unit Made out of 19mm thick board with 1.0mm thick Laminate on top and front and other internal Surface to be painted/Polished complete as per Item no. 1	5'-0''	Rft.		



3. P/F of **Cash cabin partition** front-over the counter
 Supported on 2'x1-1/2'' sal- wood frame work
 Cover with 8.0 mm thk. Etching glass supported of
 1''x1/2'' beading with book window in size 5''x6''
 Center of the counter with 2''x2'' spacing aluminium
 Grill will be fixed in front of
 Partition side partition supported 2''x1-1/2'' sal
 Wood well seasoned structure with a cost of anti
 Termite treatment up to 3'-0'' height framing of
 Inside area with 2''x1-1/2'' sal wood section
 2'-0''c/c horizontal and vertical with both side
 6mm thick ply & 1.0mm thick laminates both side.
 The upper portion up to 4'-0'' height shall be of
 2-1/2''x2''x2-1/2'' Aluminum grill will be fixed
 Complete with all accessories and labour. 155.00 Sft.
4. P/F of Low Ht. (4'-6'' High) partly glazed
Laminated portion in Branch Manager/R.D.O Cabin
 The under framing shall be of 2''x2'' sal wood
 (Anti termite Treatment) for under framing at
 A max. Distance of 2' in each direction. 6mm th.
 Waterproof ply shall be fixed on two side and
 1mm the laminated shall be pasted over it with
 Chemical adhesive. Provision shall be made for
 Passage of electric / data cable and switch board.
 T.W molding melamine polished shall be fixed
 Wherever necessary. Bottom 4'' width shall
 Have skirting upper 1'-6'' height shall have
 5mm th. Plane glass. 274.00 Sft.



5. P/F of Low Ht. (4'-6'' High) Laminated portion
For **UPS Space** The under framing shall be of
2''x2''sal wood (Anti termite Treatment) for
Under framing at a max. distance of 2' in each
Direction . 6mm th. Waterproof ply shall be
Fixed on two side and 1 mm the laminated shall
Be pasted over it with chemical adhesive. 96.0 Sft.
6. P/F Low ht. partition Wicket gate all
Specification as item No. 4. 42.00 Sft.
7. Providing and fixing in position double leaf
Powder coated **Aluminium entrance door**
Made of 14 guage thick sheet. All member
Shall be of 4''x1-3/4'' section and bottom
Rail shall be of 5''x1-3/4'' section with 6mm
Thick clear sheet glass including 4'' dia 2.0
Nos handles 10'' long 2.0 Nos, Tower bolts,
Floor spring 2.0 Nos lock etc. complete. 108.0 Sft.
8. P/F **Godrej Night latch.** 2.0 Nos.
9. P/F f **Godrej mortic lock** 2.0 No
10. P/F of **Door closer** I.S.I mark 5.0 No.
11. Providing and fixing **Writing desk** in
Position box type Wooden writing in public
Space of approximate size 4'-0'' x 2'-0''
Made out of 19mm thick good approved
Quality ply with 6'' to 9'' wide pigeon hole
Type compartments in the front façade boxing
For keeping pay-in-ship, book literature etc.



- These writing table's must have laminates
1.0 mm thick on top writing desk and two side
of the boxes. With beeding lipping, moulding
and painting / polishing complete.
- | | | | |
|-----|---|-------|------|
| | | 1.0 | No. |
| 12. | Suggestion Box | 1.0 | No. |
| 13. | Check drop Box | 1.0 | No. |
| 14. | Providing and fixing Aluminum grill in cash
Cabin Grill size 2-1/2''x2''x2-1/2'' will be
Fixed complete with all accessories & labour. | 48.0 | Sft. |
| 15. | Providing and fixing in position Notice boards
Of approximate size 3'-0'' x 2'-0'' and 6'' deep
Made out of 19mm thick ply with fully glazed
Shutter in front and soft board with felt cloth
Lining at the back inclusive of good approved
Quality lock to this shutter, hinges, fixtures,
Handle etc. and front laminate/painted complete
As directed by bank architect. | 1.0 | No. |
| 16. | Providing and Fixing in position side units
Made out of 19mm board with 1.0 mm
Laminate with slidding hinged shutters
(made out of 12mm thick ply with 1.0 mm
Thick laminate on it) complete with handles
Etc. Size 4'-0'' x 1'-6'' x 2'-6'' | 2.0 | No. |
| 17. | Providing and fixing Column/Wall paneling
Paneling all specification as per item no. 4 | 95.00 | Sft. |
| 18. | Providing and fixing in position Branch
Manager Table (Size 6'-0'' x 3'-0'') made
Out of 19mm thick water proof board with | | |



- 1.0 mm th. Laminated on all exposed surface
(others external surface shall be painted with
Two coats of enamel paint over one coat of
Primer) It shall have one unit on one side while
Provision to be made for pull out tray on slides.
The table to be finished in TW/H.W Lipping &
Godrej lock, handles footrest, latches all Complete. 1.0 No.
19. Providing and Fixing in position **Officer**
Table (Size 5'-0''x2'-6'')made out of 19mm.
Thk. Water proof board with 1.0 mm. th.
Laminated on all exposed surface (others external
Surface shall be painted with two coats of enamel
Paint over one coat of primer) It shall have one
Unit on one side while. 1.0 No.
20. Providing & fixing wooden **Filling Cabinet**
1'-6''deep to be fixed on the wall frame made out
of 19mm thick commercial ply with siding
hinge shutters made out of 12mm thick ply
with 1.0mm laminate on the front & side other
other internal surface to be painted as complete
with handle, lock, wall catches etc. 104.00 sft
21. **Distemper on walls** surface's with oil bound
Distemper two coats, with approved colour,
Brand and manufacture of reqd. shade on under
Coates wall surface to give an even shade over
And including a priming coat with cement primer
of approved brand and manufacture such as berger,
Shalimar, Asian, Nerolac distemper after the priming
coat has been applied and perfectly died. All holes,
scratches if any shall Be required as mentioned in preparations of



Surface and then first coat of distemper applied
And allowed to Dry then second coat distemper
Shall be applied. Work Completed up to the bank
Satisfaction.

5250.00 Sft.

Total Rs. -----

(Rs. ----- Lacs ----- Thousand ----- Hundred ----- Only.)



PROJECT - SPECIFICATION FOR FURNITURE & ELECTRICAL WORKS.

BANK - BARODA U.P. BANK

BRANCH- FATMAN ROAD

REGIONAL OFFICE- VARANASI

***ALL WORKS TO BE DONE AS PER TENDER CONDITIONS.**

A	FURNITURE ITEMS	
1	LAMINATES (IS-2046) / VENEER	GREEN LAM / CENTURY / ARCHID / SAMRAT / FORMICA / SUNDEK OR APPROVED EQUIVALENT
2	COMMERCIAL PLY (IS-303) / WATERPROOF PLY (IS-710) / BLOCK BOARD (IS-1659) / FLUSH DOOR (IS- 2202)	ARCHID/ SAMRAT / CENTURY / EURO / GREEN OR APPROVED EQUIVALENT BY EIC.
3	ADHESIVES	FEVICOL / BLUECOAT/ VAMICOAL
4	LOCKS	GODREJ
	MULTIPURPOSE GROUP LOCK	E-MPL1-22 / E-MPL1C-22 (EBCO)
	NIGHT LATCH	8812 (GODREJ)
	CYLINDRICAL LOCK (SS MATT FINISH)	3792-WITH KEY AND 3786-KEYLESS (GODREJ) / C120SS (EUROPA)
	MORTISE DEAD LOCK (TWO WAY)	8815(GODREJ)
	MORTISE LOCK WITH DOOR HANDLE	MATIZ 8083(GODREJ)
5	DRAWER CHANNELS	GODREJ/ HATTICH/ OZONE
	TELESCOPIC CHANNELS (ZINK PLATED)	STDS35(I)35/ STDS25(I)35/ STDS50(I)35/ STDS60(I)35
	BOTTOM CHANNELS (POWDER COATED)	BMDS 35/ BMDS 37/ BMDS 55/ BMDS 60 (EBCO)
6	GENERAL HARDWARE	SS MATT FINISH
	DOOR STOPPER	I) BLACK/IVORY/BROWN/SILVER COLOR POWDER COATED DS1 (EBCO) II) SPRING TYPE BLACK/BROWN/IVORY COLOR POWDER COATED (FCGI'S STERLING)
	HINGES	I) 3"/4"/5"/6" 1.8MM TH. SS MATT FINISH (SUZU) II) 75X12X19 1.2 MM TH. SS MATT FINISH FOR STORAGE (SUZU) III) AUTO CLOSE HINGES – SLIP ON HINGE- EURO / CLICK ON HINGE-I (EBCO) FOR STORAGE
	HANDLES 'D' OR 'C' TYPE	1) 3"/4"/6"10MM DIA SS 202 MATT FINISH (ANJALI)
	TOWER BOLT	3"/4"/6"/8" BRASS EXTRUDED SS MATT FINISH (OSWAL)



	SLIDING CHANNEL	EBCO MAKE APPROVED BY ARCHITEC/BANK.
7	FLOOR SPRING	
	60 KG	7477 (GODREJ) / M-74 (HARDWYN)
	80 KG	8293 (GODREJ) / M-74 (HARDWYN)
	100 KG	8294 (GODREJ) / M-76 (HARDWYN)
8	DOOR CLOSER	
	60 KG	DOUBLE SPEED 8292-SILVER, 7325- GOLDEN (GODREJ) / SCORPIO (HARDWYN)
	FIRE RATED 60 KG	1938 (GODREJ) / TRITON (HARDWYN)
9	PATCH FITTINGS FOR DOOR AND FIXED GLASS PARTITION (TOP/BOTTOM PATCH, PIVOT, PATCH LOCK, L ARM, L CONNECT, CONNECTOR, FLOOR SPRING, HANDLE, PLASTIC PROFILE)	GODREJ / XL C SERIES(DORMA) / OPF SERIES (OZONE) OR APPROVED EQUIVALENT
10	GLASS / MIRRORS	SAINT GOBAIN / MODI
11	ALUMINUM SECTION	JINDAL / INDAL / BANCO
12	WINDOW BLINDS	VISTA / AEROLUX/HUNTER DUGLUS / MAC
13	POLISH / PAINT	ASIAN PAINTS / BERGER / NEROLAC
14	PARTICLE BOARDS	NOVAPAN / DECO BOARD
15	COMPUTER ACCESSORIES	
	CPU HANGER/ SHELF	SIDE MOUNTED IS CPU HL SM (INNOFIT) /CPUSM(EBCO) ,
	CABLE MANAGER (60MM)	I) METAL - CO60ZN1(EBCO) II) PVC - CO 60 (EBCO) BLACK/IVORY/GREY COLOR
16	ACP PANEL	TIMEX / ALU DECOR / EURO OR APPROVED EQUIVALENT
19	WHITE FILM FOR GLASS	CRYSTAL / SONA MAKE VINYL FROSTED FILM
B	PAINTS	ICI, ASIAN,DULUX, BERGER, NEROLAC, JOHNSON & NICOLSAN
1	ANTI CORROSIVE PAINT	TIKITAR, FINCOAT
2	RED OXIDE	ASIAN, DULUX,NEROLAC
3	POLISH	ASIAN MELAMINE
4	EXTERIOR PAINTS	DULUX WEATHERSHIELD OR APP. EQUIVALENT
5	ENAMEL PAINT	ICI, DULUX, ASIAN, NEROLAC
C	FALSE CEILING	
1	GYPSUM BOARD	GYPROC (SAINT GOBAIN)
2	FRAMING WITH COMPLETE SYSTEM	GYP STEEL ULTRA (SAINT GOBAIN), RAMCO FUJI
3	HILUX BOARDS	RAMCO OR APPROVED EQUIVALENT
4	MINERAL FIBRE TILES CEILING WITH COMPLETE SYSTEM	ARMSTRONG/SAINT GOBAIN/USG



D	APPROVE MAKE LIST FOR ELECTRICAL	
1	PVC rigid conduits & Accessories:	1.5 mm thick (MMS) ISI and FIA approved - Precision / Vraj / Nihir / BLP / PFI / Anchor / Polycab make. (Only white coloured pipes FRLS type to be used.)
2	L.T. Cables:	Havells / KEI / Polycab / R. R. Kable / Finolex.
3	Wires (FRLS):	Havells / KEI / Polycab / R. R. Kable / Finolex.
4	Main Distribution Boards:	MDS Legrand (Lexic) / Hager / Crabtree XPOA / Schneider (Eazy 9) / L & T EXORA / C & S Wintrip / Siemens Bitaguard.
5	ELCB / RCCB / Miniature Circuit Breaker:	MDS Legrand (Lexic) / Hager / Crabtree XPOA / Schneider (Eazy 9) / L & T EXORA / C & S Wintrip / Siemens Bitaguard.
6	Switch gears:	MDS Legrand (Lexic) / Hager / Crabtree XPOA / Schneider (Eazy 9) / L & T EXORA / C & S Wintrip / Siemens Bitaguard.
7	Change Over Switch:	HPL Socomac/ Havells / L & T / Hager.
8	Domestic fittings:	
	a) All Switching Modular Accessories.	MK Wrapped Wround Plus / Schneider Livia / L & T entis / Crabtree Verona / Salzer Elite / Legrand Myris / C & S Divino / SSK Ace.
	b) Holders / ceiling roses	Anchor or equivalent approved make.
	c) Adhesive Tape	Bhor (Steel Grip) or approved .
9	10 - 30 A Polycarbonate Socket & Top:	MDS Legrand (Lexic) / Hager / Crabtree XPOA / Schneider (Eazy 9) / L & T EXORA / C & S Wintrip / Siemens Bitaguard.
10	Telephone Wires / Cable:	Finolex / R. R. Kable / Havells / L & T / Polycab.
11	Telephone tag block:	Krone make.
12	Cable Lugs:	Dowell / Lotus / Jainson / 3 D.
13	Cable gland Single / Double Compression:	HMI / Comet / 3D.
14	Ammeter / Voltmeter:	AE / HPL / MECO/ Enercon make.
15	Selector switches:	L & T salzer / Kaycee make.
16	Indicator lamps:	LED type Teknic / Precifine/ Binay.
17	Connector strips:	Wago / Elmex make.
18	Lighting Fixtures :	Wipro / Philips / GE / Crompton. only
19	Exhaust fan (Light duty):	Khaitan / Crompton / Havells.
20	Ceiling Fan (5 star rated):	Crompton (High Breeze Plus) / Havells.
21	Wall mounted Fan (5 star rated):	Crompton (High Flow Wave) / Havells.
22	Data Cable - I / O Unit:	D - Link / Digi Link.

