

Latter No: 2021-22/RO BAL-2/ GB/ 19みナ

Date: 27.12.2021

#### Tender Notice

Baroda U.P. Bank, Regional Office Ballia- 2 intends to invite Tender from bonafied empanneled contractors for the proposed work of CHITAUNI (Rasra) branch of Ballia-2 Region, Dist. Ballia, UP as per inclosed offer BID/BOQ profarma.

The completion period of work will be 15 daysfrom the date of issue of order. The work shall be executed under the supervision of our consulting Architect and as par specification demonstrated in offer BID Profarma BOQ.

Offer BID Profarma / BoOQ is attatched with this notice . Offer should be valied for a minimum period of 120 days from the last day of submission. No borokerage shall be paid . The sealed covers marked as BID superscribing " FURNISHING WORK, ELECTRICAL WORK & LAN CABLING WORK BID FOR CHITAUNI BRANCH " be put in one sealed cover packed addressed and submitted to The Regional Manager, Baroda U.P. Bank, Regional Office- Ballia 2, Indira Market, Ballia (U.P.), Pin Code 277001.within 10 days from the date of this Tendor Notice.on or before 05.01.2022 by 05.00 PM .

Any decisison taken by the bank at any point of time in connection with this pocess shall be final and conclusive and no claim or dispute from any quarter in that regard shall be entertained.

Please note that Retention Moneny @ 10% of cost value will be hold, which will be payble after one year if no adverse comment is noted.

Regional Manager

RO,Ballia-2

# Schedule of Quantity/ Tender of Furnishing work of Baroda U.P. Bank Chhitauni Branch Distt. & R.O. Ballia

S No. Item's of work	Qty	Un	it	Rate	Amount(Rs.)
1. Bank Low ht. Counter 2'-6" wide made out	n manaka ila kata kata kata kata kata kata kata ka				an a
of 19mm thick board with drawer unit and					
front side 2mm thick Etching Glass Supported					
with Teak wood or Aluminum member					
With L0 mm thick laminate on the top &					
Drawer unit shall be provided on one side					
while with space for CPU by its side pull					
out tray on slide shall be provided on each					
counter for keeping keyboard, all the exposed					
edges shall have 6 mm. TW lapping duly polished					
inside surface shall be enamel painted two coats					
over primer coats. It shall be locks & handles etc.					
provision for wire management shall be made.					
Complete work as per branch Manager/ Architect					
Satisfaction.	21.0	)()	RĤ		
2. P/L of <b>Bank Cash counter</b> in partition two					
level cash counter 5'-0" long (with 3'-10"					
and 2'-6"height) counter for customer to					
be1'-6"wide and counter to be 3'-0"wide					
with drawer unit made out of 19mm thick					
board with 1.0 mm thick laminate on top					
and front and other internal surface to be					
painted/polished complete as per item no.1	11.	0	R	Û.	
P/F of Cash cabin partition front-over	• • •	• • •	.,		
the counter supported on 2'x1-1/2" sal					
wood frame work cover with 8.0 mm thk.					
Etching glass supported of 1"x 1/2" beading					
with book window in size 5"x6" center					
of the counter with 2"x2" spacing Alu-					
minium grill will be fixed in front of					
partition Side partition supported 2"x1-1/2"					
sal wood well seasoned structure with					
a cost of antitermite treatment up to					
3°-0" height framing of inside area with					
2"x1-1/2" sal wood section 2'-0"c/c					

9. P/F of Godrej mortic lock	2.0	)	Nos
8. P/F of Godrej Night latch.	1.0		No
·			
lock etc. complete.	110.0	00	sft
10"long 2 Nos, Tower bolts, floor spring 2 Nos.			
clear sheet glass including 4"dia 2 Nos. handles			
shall be of 5"x1-3/4" section with 6mm thick			
shall be of 4"x1-3/4" section and bottom rail			
made of 14 guage thick sheet. All member			
powder coated Aluminum entrance door			
<ol><li>Providing and fixing in position double leaf</li></ol>			
-			
specification as item No.4.	14.00		sft
6. P/F Low height partition/Wicket gate all			
Chemical adhesive	40.00	4	sft
1.0mm thick laminated shall be pasted over its with			
6 mm th. Waterproof Ply shall be fixed on two side &			
frame in at a max. distance 2'-0'' in each direction.			
2"x2"sal wood (Anti-termite Treatment) for under			
for UPS Space the Under Framing shall be of			
Plane glass 5. P/F of Low Ht.(4'-6'' High) Laminated Portion	8.74894944		
necessary bottom 4 <sup>++</sup> width shall have 5mm th.	138.00		sft
molding melamine Polished shall be fixed. Wherever percessory bottom 4.1 width shall have 5mm th			
its with chemical adhesive Provision shall be made			
two side & 1.0mm thick laminated shall be pasted over			
direction. 6 mm th. Waterproof Ply shall be fixed on			
for under framing at a max. distance 2*-0** in each			
shall be of 2"x2" sal wood (Anti termite Treatment)			
Advance dept. Cabin the Under Framing			
Laminated Portion in Branch Manager/			
4. P/F of Low Ht.(4'-6'' High) Partly glazed	and the second		
with all accessories and labour,	32.00	sft	
height shall be of 2-1/2"x2"x2-1/2" Aluminum grill will be fixed complete			
both side. The upper portion up to $4^{\circ}=0^{\circ}$			
6mm thick ply&1.0mm thick laminates			
horizontal and vertical with both side			
\$/			

9. P/F of Godrej mortic lock2.0Nos10. P/F of Door closer LS.1 mark2.0Nos.

- 11. Providing and fixing Writing desk in position box type Wooden writing in public space of approximate size 4'-0" x 2'-0" made out of 19mm thick\_good approved quality ply with 6" to 9" wide wide pigeon hole type compartments in the front facade boxing for keeping pay-in-ship, book literature etc. These Writing table's must have laminates 1.0 mm thick on top writing\_desk and two sides of the Boxes. With beading, lipping, molding and painting 'polishing complete.
- molding and painting 'polishing complete. 1.0 No.
- 12. Suggestion box 1.0 No.
- 13. Check Drop Box
- Providing and fixing Aluminum grill in cash cabin Grill Size 2-1/2"x2"x2-1/2" will be fixed complete with all accessories & labour.
- 15. Providing and fixing in position Notice boards of approximate size 3'-0"x2'-0" and 6" deep made out of 19mm thick ply with fully glazed shutter in front and soft board with felt cloth lining at the back inclusive of good approved quality lock to this shutter, hinges, fixtures, handle etc. and front laminate /painted complete as directed by bank architect.
- 16. Providing and placing in position side units made out of 19mm board with 1.0mm laminate with sliding hinged shutters (made out of 12mm thick ply with 1.0mm thick laminate on it) complete with handles etc. size 4'-0"x1'-6"x2'-6"

1.0 No.

1.0 No

48.0 sft

1.0 No.

<ol> <li>Providing and fixing Column/Wall paneling (8'-6'' Height) paneling all specification as per item no.4.</li> <li>Providing &amp; fixing wooden Filling Cabinet 1'-6"deep to be fixed on the wall frame made out of 19mm thick commercial ply with siding hinge shutters made out of 12mm thick ply with 1.0mm laminate on the front &amp; side other other inernal surface to be painted as complete with handle, lock, wall catches etc.</li> </ol>	70.00 sft 125.00	sft	
<ul> <li>19. P/F in Position Branch Manager Table (Size-6'-0'' x3'-0'') made out of 19mm th. water proof board with 1.0 mm th. Laminated on all exposed surface (others external surface shall be painted with two coats of enamel paint over one coat of primer) It shall have one unit on one side while provision to be made for pull out tray on slides. the table to be finished in TW/ HW lapping &amp; godrej lock, handles, footrest, latches all complete.</li> <li>20. P/F in Position Officer Table (Size-5'-0'' x2'-6'') made out of 19mm th. water proof board with 1.0 mm th. Laminated on all exposed surface (others external surface shall be painted with two coats of enamel paint over one coat of primer) It shall have one unit on one side while .</li> </ul>	1.0	No.	
21. Metre Box	16	Sqft.	
			Total Rs

(4)

(Rs. ------ Lacs ----- Thousand ----- Rupees Only.)

## Detail Tender for Electrical Work LAN Cabling work of Chhitauni Branch-Baroda U.P. Bank Ro-Ballia

SI.No.	Particulars	Qty.	Unit	Rate/Unit Rs. P.	Amo Rs.	unt P.
1.	S/F of plug socket board consisting of 3 plug 5 Amp, three pin, three switch and one indicator with 1.5 sq mm separate circuit wiring for computer.	8	No			
	S/F of UPS earthing-S/burying of Dual pipe technology (Pipe in Pipe) earthingelectrode having GI 80mm O/D pipe with 25 micron coating. 3metres long. The space between two pipes to be filled with Highly conducive & Non corrosive chemical compound. The vacant space between pipe & hole shall also be filled with Compound all around. The job also includes S/F of GI strip clamp with two holes (with SS/GI bolts & nuts) on the electrode& taking two earthing leads of 4mm dia copper wire (Assumed length of 10m -beyond 10m to be paid extra)upto Main panel complete in all respects with guaranteed E/N voltage of less than 2 volts and resistance less tahn lohms. The 4mm dia Cu. earth wire shall be terminated on a separate 6way earthlink. The connections for Panel earthing& earth bus in the panle should be taken from this earthlink	2	No			
3	S/W 10 Amp, Plug point with 2.5 sq mm copper wire in counter with continuous earthing wire complete in all respect with modular switches /socket.	6	No			
4	S/F of LED Batten 20 watt light Fitting with 1.5 sq mm wiring complete in all respect including modular switches	12	No			
5	S/F of 20 Amp plug point with 2.5 sq mm wiring including modular switches /socket with continuous circuit wiring.	6	No			
6	Providing & Fixing of wall mounted fans (400dia) complete with 1.5 Sq mm wiring and modular switches. The work to include making hole in wall	5	No			

7	Supplying and Fixing of cabin fans (400Dia) in cash cabin/ in 1.5 sq mm wiring and modular switches.	2	No	
8	Supplying and Fixing of circuit wiring for computer in 2.5 sq mm copper wire.	15	No	
9	Supplying and Fixing of wiring for lights and fans 1.5 sq mm copper wire complete in all respect.	15	No	

Sl.No.	Items of Work	Qty.	Uni	Rate/Unit	Amount
			t	Rs. P.	Rs. P.
10	Supplying and Fixing of exhaust fan in toilet/hall 15 1nch dia 1.5 sq mm wiring and modular switches.	2	No		
11	S/F of ceiling fan (1200 dia) with hooks in rooms with adding rod of suitable length wherever necessary including 1.5 sq mm wiring and modular switches and regulator	5	No		
12	S & F of 12 way SPN DB double door with 10No SP MCB and 1 no DPMCB 40 AMP for computer	2	No		
13	Sub main wiring of UPS input and UPS output power supply with 2 no 6 sq mm No. 4 sq mm copper flexible wire in PVC conduit pipe. (payment as/actual length on site)	35	Mtr		
]4.	Sub main wiring of power supply from Main to TPN distribution Board with 4 nos 10 sq mm copper flexible wire and 1 no 6 sq mm earth wire in PVC conduit pipe. (payment as/actual length onsite)	35	Mtr		

SLNo.	Items of Work	Qty.	Unit	Rate/Unit	Amount
				Rs. P.	Rs. P.
15	Supply and fixing on board 3 no KIT KAT cut out 200 amp with neutral link on board	1	Job		
16	S/F 63 Amp Changeover	1	No		
17	S/F 63 Amp Main Switch	1	No		
	LAN Cabling				
18	Supplying and drawing CAT 6 PVC insulated and Sheathed LAN cable through PVC conduit including testing, commissioning etc.as required.	180	Mtr		
19	Supply and fixing of RJ modem Jack for computer including making connection, soldering etc	8	No		
20	Supply and Fixing of Patch Card with CAT 6 Jack	8	No		
				Total Rs.	

GST 18% -----

GRAND TOTAL -----

(Rs. ----- Lacs ----- Thousand ----- Hundred ---- Only.)

Total Work Furnishing Rs. Rs.----+ Total Work Electrical Rs.-----

.

Combined Total Work Furnishing & Electrical Rs. ----- (---- Lacs ----- Thousand ------ Only.

# **PROJECT - SPECIFICATION FOR FURNITURE & ELECTRICAL WORKS.**

BANK - BARODA U.P. BANK

**BRANCH- CHHITAUNI** 

### REGIONAL OFFICE- BALLIA \*ALL WORKS TO BE DONE AS PER TENDER CONDITIONS.

A	FURNITURE ITEMS	
1	LAMINATES (IS-2046) / VENEER	GREEN LAM / CENTURY / ARCHID / SAMRAT / FORMICA / SUNDEK OR APPROVED EQUIVALENT
2	COMMERCIAL PLY (IS-303) / WATERPROOF PLY (IS-710) / BLOCK BOARD (IS-1659) / FLUSH DOOR (IS- 2202	ARCHID/ SAMRAT / CENTURY / EURO / GREEN OR APPROVED EQUIVALENT BY EIC. 2)
3	ADHESIVES	FEVICOL / BLUECOAT/ VAMICOAL
4	LOCKS	GODREJ
	MULTIPURPOSE GROUP LOCK	E-MPL1-22 / E-MPL1C-22 (EBCO)
	NIGHT LATCH	8812 (GODREJ)
	CYLINDRICAL LOCK (SS MATT FINISH)	3792-WITH KEY AND 3786-KEYLESS (GODREJ) / C120SS (EUROPA)
	MORTISE DEAD LOCK (TWO WAY)	8815(GODREJ)
	MORTISE LOCK WITH DOOR HANDLE	MATIZ 8083(GODREJ)
5	DRAWER CHANNELS	GODREJ/ HATTICH/ OZONE
	TELESCOPIC CHANNELS (ZINK PLATED)	STDS35(I)35/ STDS25(I)35/ STDS50(I)35/ STDS60(I)35
	BOTTOM CHANNELS (POWDER COATED)	BMDS 35/ BMDS 37/ BMDS 55/ BMDS 60 (EBCO)
6	GENERAL HARDWARE	SS MATT FINISH
	DOOR STOPPER	I) BLACK/IVORY/BROWN/SILVER COLOR POWDER COATED DS1 (EBCO) II) SPRING TYPE BLACK/BROWN/IVORY COLOR
	HINGES	POWDER COATED (ECGL'S STERLING) I) 3"/4"/5"/6" 1.8MM TH. SS MATT FINISH (SUZU II) 75X12X19 1.2 MM TH. SS MATT FINISH FOR STORAGE (SUZU)
		III) AUTO CLOSE HINGES – SLIP ON HINGE- EURO , CLICK ON HINGE-I (EBCO) FOR STORAGE
	HANDLES 'D' OR 'C' TYPE	1) 3"/4"/6"10MM DIA SS 202 MATT FINISH (ANJA
1	TOWER BOLT	3"/4"/6"/8" BRASS EXTRUDED SS MATT FINISH (OSWAL)

	SLIDING CHANNEL	EBCO MAKE APPROVED BY ARCHITEC/BANK.
7	FLOOR SPRING	
	60 KG	7477 (GODREJ) / M-74 (HARDWYN)
	80 KG	
Designant of the Co	100 KG	8293 (GODREJ) / M-74 (HARDWYN)
8	DOOR CLOSER	8294 (GODREJ) / M-76 (HARDWYN)
	60 KG	
		DOUBLE SPEED 8292-SILVER, 7325- GOLDEN
		(GODREJ) /
	FIRE RATED 60 KG	SCORPIO (HARDWYN) 1938 (GODREJ) / TRITON (HARDWYN)
9	PATCH FITTINGS FOR DOOR AND FIXED	GODREJ / XL C SERIES(DORMA) / OPF SERIES
	GLASS PARTITION (TOP/BOTTOM PATCH,	
	PIVOT, PATCH LOCK, LARM, L CONNECT,	(OZONE) OR APPROVED EQUIVALENT
	CONNECTOR, FLOOR	
	SPRING, HANDLE, PLASTIC PROFILE)	
10	GLASS / MIRRORS	SAINT GOBAIN / MODI
11	ALUMINUM SECTION	JINDAL / INDAL / BANCO
12	WINDOW BLINDS	VISTA / AEROLUX/HUNTER DUGLUS / MAC
13	POLISH / PAINT	ASIAN PAINTS / BERGER / NEROLAC
14	PARTICLE BOARDS	NOVAPAN / DECO BOARD
15	COMPUTER ACCESSORIES	
	CPU HANGER/ SHELF	SIDE MOUNTED IS CPU HL SM (INNOFITT) /CPUSM(EBCO)
	CABLE MANAGER (60MM)	I) METAL - CO60ZN1(EBCO)
16	ACP PANEL	II) PVC - CO 60 (EBCO) BLACK/IVORY/GREY COLOF
10	ACP PANEL	TIMEX / ALU DECOR / EURO OR APPROVED
19	WHITE FILM FOR GLASS	EQUIVALENT
		CRYSTAL / SONA MAKE VINYL FROSTED FILM
8	PAINTS	ICI, ASIAN, DULUX, BERGER, NEROLAC, JOHONSON
	FAMTS	& NICOLSAN
1	ANTI CORROSIVE PAINT	TIKITAR, FINCOAT
2	REDOXIDE	ASIAN, DULUX, NEROLAC
3	POLISH	ASIAN MELAMINE
4	EXTERIOR PAINTS	
5	ENAMEL PAINT	DULUX WEATHERSHIELD OR APP. EQUIVALENT ICI, DULUX, ASIAN, NEROLAC
c	FALSE CEILING	
1	GYPSUM BOARD	
2		GYPROC (SAINT GOBAIN)
3	FRAMING WITH COMPLETE SYSTEM	GYP STEEL ULTRA (SAINT GOBAIN), RAMCO FUIL
-+	HILUX BOARDS	RAMCO OR APPROVED EQUIVALENT
	MINERAL FIBRE TILES CEILING WITH	ARMSTRONG/SAINT GOBAIN/USG
	COMPLETE SYSTEM	UDBAIN/USG

D	APPROVE MAKE LIST FOR ELECTRICAL	
	LIST FOR ELECTRICAL	
	DVC sigial accorduits 0	
	PVC rigid conduits & Accessories:	1.5 mm thick ( MMS ) ISI and FIA approved - Precision
		/ Vraj / Nihir / BLP / PFI / Anchor / Polycab make.(
		Only white coloured pipes FRLS
		type to be used. ).
	L.T. Cables:	Havells / KEL / Polycab / R. R. Kable / Finolex.
	Wires (FRLS):	Havells / KEL / Polycab / R. R. Kable / Finolex.
	Main Distribution Boards:	MDS Legrand (Lexic) / Hager / Crabtree XPOA /
		Schneider (Eazy 9)/
		L & T EXORA / C & S Wintrip / Siemens Bitaguard.
	ELCB / RCCB / Miniature Circuit Breaker:	MDS Legrand (Lexic ) / Hager / Crabtree XPOA /
		Schneider ( Eazy 9 ) /
		L & T EXORA / C & S Wintrip / Siemens Bitaguard.
	Switch gears:	MDS Legrand (Lexic) / Hager / Crabtree XPOA /
		Schneider ( Eazy 9 ) /
		L & T EXORA / C & S Wintrip / Siemens Bitaguard.
T	Change Over Switch:	HPL Socomac/ Havells / L & T / Hager.
ç.	Domestic fittings:	
	a) All Switching Modular Accessories.	MK Wrapped Wround Plus / Schneider Livia / L&T
	-	entis / Crabtree
		Verona / Salzer Elite / Legrand Myris / C & S Divino /
		SSK Ace.
	b) Holders / ceiling roses	Anchor or equivalent approved make.
	c) Adhesive Tape	Bhor (Steel Grip) or approved .
9	10 - 30 A Polycarbonate Socket & Top:	MDS Legrand (Lexic) / Hager / Crabtree XPOA /
		Schneider ( Eazy 9 ) /
		L & T EXORA / C & S Wintrip / Siemens Bitaguard.
10		Finolex / R. R. Kable / Havells / L & T / Polycab.
10 11	Telephone tog block.	Krone make.
12 13	An and a set of the se	Dowell / Lotus / Jainson / 3 D.
13	Cable gland Single / Double Compression:	HMI / Comet / 3D.
14	Ammeter / Voltmeter:	AE / HPL /MECO/ Enercon make.
15	Selector switches:	L & T salzer / Kaycee make.
16	Indicator lamps:	LED type Teknic / Precifine/ Binay.
17		Wago / Elmex make.
18		Wipro / Philips / GE / Crompton. only
9		Khaitan / Crompton / Havells.
19 10 1	A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PRO	Crompton ( High Breeze Plus ) / Havells.
1		Crompton (High Flow Wave) / Havells.
2		
		D - Link / Digi Link.

ι.

