



बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

Notice Inviting Tender for Non-Comprehensive Annual Maintenance Contract For
Branches/Office Under Kanpur Region for Period of One Year

- Tender issuing Date : 20.07.2023
- Last Date for submission of tender : 10.08.2023 till 05:00 pm
- Date of opening of Tender : 11.08.2023 at 03:00 pm
Address for Communication : Baroda U.P. Bank
Regional Office Kanpur
117/N/26 , Kakadeo , Kanpur 208025
- Email address: pe.knpro@barodauprrb.co.in
- Contact Person : Raj Kumar Singh - 9807825886

CCTV एवं Alert Alarm System के अनुरक्षण व रखरखाव हेतु निविदा प्रस्तुत करने के लिए योग्यता एवं पात्रता

1. बिडर्स के पास न्यूनतम 2-3 वर्ष का उक्त प्रकार के कार्य करने का अनुभव होना चाहिए। फर्म रजिस्ट्रेशन की स्वप्रमाणित प्रति संलग्न करें।
2. बिडर्स को कम से कम 3 राष्ट्रीयकृत/ग्रामीण बैंक में उक्त प्रकार के कार्य करने का अनुभव होना चाहिए। सम्बंधित बैंक से जारी इस आशय से प्रमाण की स्वप्रमाणित प्रति संलग्न करें।
3. बिडर्स को कभी किसी संस्था द्वारा असंतोषजनक कार्य हेतु ब्लैकलिस्ट न किया गया हो। इस आशय से तीन संस्था द्वारा जारी संतोषजनक कार्य प्रमाण की प्रति संलग्न करें।
4. बिडर्स का विगत तीन वर्षों के दौरान किसी एक वर्ष में न्यूनतम टर्नओवर रुपये दस लाख होना चाहिए।
5. निविदा प्रस्ताव के साथ वैध पैन एवं GST नंबर की प्रति संलग्न करें।

पात्रता योग्यता एवं अन्य शर्तों इत्यादि का विवरण तथा निविदा सम्बन्धी प्रारूप संलग्न है।



क्षेत्रीय कार्यालय 117/एन/26, काकादेव, कानपुर-208025, दूरभाष: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokanp@barodauprrb.co.in



अन्य नियम व शर्तें

1. सफल वेंडर /फर्म/कंपनी को क्षेत्रीय कार्यालय द्वारा कार्य आदेश जारी किया जायेगा।
2. वेंडर द्वारा प्रत्येक त्रैमास में शाखाओं/ कार्यालय की एक विजिट करना अनिवार्य होगा इसके अतिरिक्त जब भी CCTV/ अलर्ट अलार्म सिस्टम में किसी खराबी की सूचना शाखा/ क्षेत्रीय कार्यालय द्वारा दी जाएगी तो उसे अधिकतम 24 से 48 घंटे के अंदर अटेंड करना अनिवार्य होगा।
3. कार्य आदेश जारी होने के प्रथम त्रैमास में वेंडर को क्षेत्र की समस्त शाखाओं एवं क्षेत्रीय कार्यालय का भ्रमण करके CCTV एवं अलर्ट अलार्म सिस्टम का मेक मॉडल व अन्य विवरण की एक प्रति क्षेत्रीय कार्यालय को प्रेषित करना होगा।
4. वेंडर /फर्म/कंपनी को प्रत्येक त्रैमास की समाप्ति के उपरान्त बिल का भुगतान क्षेत्रीय कार्यालय द्वारा किया जायेगा। वेंडर को त्रैमास की समाप्ति के बाद एक सप्ताह के भीतर शाखाओं एवं क्षेत्रीय कार्यालय की मूल विजिट रिपोर्ट (शाखा प्रबंधक के हस्ताक्षर एवं मोहर सहित) के साथ GST बिल प्रस्तुत करना होगा।
5. यदि किसी शाखा/ कार्यालय में CCTV/ अलर्ट अलार्म सिस्टम में पार्ट्स बदलना आवश्यक हो तो वेंडर द्वारा अनुमोदित न्यूनतम दरो के अनुसार क्षेत्रीय कार्यालय से अनुमोदन प्राप्त होने के बाद पार्ट्स बदलने की कार्यवाही की जाएगी तथा इसका बिल त्रैमास की समाप्ति के बाद AMC बिल के साथ प्रस्तुत करना होगा।
6. बैंक को अधिकार होगा की किसी भी या सभी निविदा को बिना कारण बताये निरस्त कर दे।
7. अंतिम तिथि के बाद प्राप्त निविदा/प्रस्तावों पर कोई विचार नहीं किया जायेगा।
8. AMC के दौरान यदि सेवाएं असंतोषजनक पाई जाती है तो 3 सप्ताह की पूर्व नोटिस जारी करके CCTV/ अलर्ट अलार्म सिस्टम की AMC निरस्त कर दी जाएगी।
9. सफल टेंडर प्राप्तकर्ता को कंपनी के कर्मचारी/कर्मचारियों को कानपुर क्षेत्र की शाखाओं की समस्याओं के त्वरित निस्तारण के लिए पृथक रूप से नियुक्त करना होगा।

दिनांक: 19.07.2023


क्षेत्रीय प्रबंधक
A4. A4




बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

Financial Bid-1

NON-COMPERHENSIVE AMC OF CCTV SYSTEM

S.No.	Description	AMC Cost per Unit (in Rs.) Excl GST
1	AMC of CCTV System	
	4 Channel DVR	
	8 Channel DVR	
	16 Channel DVR	

PRICE LIST OF COMPONENTS/ACCESSORIES/SPARE PARTS NOT INCLUDED IN ANNUAL MAINTENANCE CONTRACT OF CCTV

Sr. no.	ITEM	Make/Brand	Model/Warranty	Rate Per Unit (Excl GST)
1	4 Channel DVR + 2TB HDD	Dahua/Hikvision		
2	8Channel DVR + 4TB HDD	Dahua/Hikvision		
3	16Channel DVR + 4TB HDD	Dahua/Hikvision		
4	Varifocal HD WDR &IR Dome Camera	Dahua/Hikvision		
5	Varifocal HD IR Bullet Camera	Dahua/Hikvision		
6	Fixed HD IR Bullet Camera	Dahua/Hikvision		
7	21" Full HD LED Monitor including HDMI Cable and Mounting stand	LG/Samsung		
8	18.5 Full HD LED Monitor	LG/Samsung		
9	RG 59 Video Cable in PVC Conduit Pipe	Finolex/ISI Mark	ISI	
10	2 Core Power Cable in PVC conduit Pipe	Finolex/ISI Mark	ISI	
11	Hard Disk <ul style="list-style-type: none">• 2TB• 4TB	Seagate /WD		




बड़ौदा यू.पी.बैंक
Baroda U.P. Bank

- | | | | |
|----|---|--|--|
| 12 | SMPS for SDVR | | |
| 13 | Power Supply of Cameras 4Amp | | |
| 14 | Existing of entire system from one branch to other or re-wiring charges | | |
| 15 | BNC Connector | | |
| 16 | Backup recording writing service charge | | |

Others Terms & Condition

- GST Extra as Govt. Norms
- Warranty on Spare Parts to mentioned

 AM. A. S. R.



बड़ौदा यू.पी. बैंक
Baroda U.P. Bank


Financial Bid-2

NON-COMPERHENSIVE AMC OF ALERT ALARM SYSTEM

S.No.	Description	AMC Cost per Unit (in Rs.) Excl GST
1	AMC of Alert Alarm System	

PRICE LIST OF COMPONENTS/ACCESSORIES/SPARE PARTS NOT INCLUDED IN ANNUAL MAINTENANCE CONTRACT OF ALERT ALARM SYSTEM

Sr. no.	ITEM	Make/Brand	Model/Warranty	Rate Per Unit (Excl GST)
1	Control Panel 4 ZONE <ul style="list-style-type: none">• Microprocessor Based• 4 Zone Intergrated System• 24 hour/Panic/Day/Night mode zone• Auto Dialer card supply activation facility• Manual Auto Day/Night Mode Switch• Built in PS & Battery. Charger 12V/7Ah• 2 No of Hooter with temper monitoring• MS Fabrication, Powder coated with battery space			
2	GSM Auto dialer			
3	Battery 12V/7Ah	Exide		
4	Hand Panic Switch	Branded		
5	PIR Motion Detctor with pet immunity up to 25 kg	DSC/Securico		
6	Magnetic Sensor/Door Sensor	Branded		
7	Vibrtion Sensor- Adjustable Dual Sensitivity Range <ul style="list-style-type: none">• High False Alarm Immunity• Selectable LED Indication• Surface Mount Technology	Branded		
8	Shutter Sensor- Heavy Duty Roller Shutter Contact	Branded	ISI	



क्षेत्रीय कार्यालय, 117/एन/26, काकादेव, कानपुर-208025, फ़ोन: 0512-2501953
Regional Office, 117/N/26, Kakadev, Kanpur-208025, Telephone: 0512-2501953
e-mail: rokanp@barodauprrb.co.in



बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

- Sturdy Polished Aluminum Die-cast Housing
- Wide Operating Gap 2" min(50mm)
- 3' Libg Staubkess-Steel Armored Cable

9	Smoke Detector Flashing LED	Apollo	ISI
10	Heat Detector Flashing LED	Apollo	
11	Manual Call Point		
12	1 sq mm Single Core FRLES Wire for Smoke Sensor in PVC conduit Pipe with Accessories		ISI
13	1.5 sq mm 2 Core Wire for Alarm System in PVC conduit Pipe with Accessories		ISI
14	External Speaker /Hooter	Securico	
15	Transformer/SMPS		
16	Main PCB		
17	Internal Speaker		
18	Re-Installation/Re-Wiring/Shifting Charges etc.		

AM.